

County of Brunswick

3954 Clearwell Dr NE
Leland, NC 28451

Northwest Water Plant

Leland, NC
Samples Received: 08/26/22

Analytical Report 0822-801

Isotope Dilution Method PFAS



Enthalpy Analytical, LLC – Ultratrace

Mark Hager

O: 910-876-6894/ F: 910-212-6886

mark.hager@enthalpy.com / www.enthalpy.com

2714 Exchange Drive, Wilmington, NC 28405

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s)

This analytical report was prepared in Portable Document Format (.PDF) and contains _____ pages.

....."Report Issued Date: _____"



Summary of Results



Enthalpy Analytical

Job No.: 0822-801-1 PFAS by Isotope Dilution (non-potable water)

Brunswick County Public Utilities - NC Client Project: N/A Site: Northwest Water Plant

Summary

	Compound	CAS	082622S01 ng/L	082622E01 ng/L	
Acids	PFBA	375-22-4	8.88	10.1	
	PFPeA	2706-90-3	22.6	25.6	
	PFHxA	307-24-4	15.4	16.4	
	PFHpA	375-85-9	6.18	6.42	
	PFOA	335-67-1	8.53	8.98	
	PFNA	375-95-1	1.25	1.25	
	PFDA	335-76-2	0.764	0.632	
	PFUnDA	2058-94-8	0.254 J	0.162 J	
	PFDoDA	307-55-1	0.0628 L	0.0242 L	
	PFTTrDA	72629-94-8	ND U	ND U	
	PFTeDA	376-06-7	ND U	ND U	
	Sulfonates	PFBS	375-73-5	10.3	10.8
		PFPeS	2706-91-4	1.48	1.32
PFHxS		355-46-4	9.13	8.76	
PFHpS		375-92-8	0.408 J	0.376 J	
PFOS		1763-23-1	19.1	17.4	
PFNS		68259-12-1	ND U	ND U	
PFDS		335-77-3	ND U	ND U	
4:2 FTS		757124-72-4	ND U	0.0108 L	
6:2 FTS		27619-97-2	0.588	1.47	
8:2 FTS		39108-34-4	ND U	ND U	
Other		PFOSA	754-91-6	ND U	ND U
	N-MeFOSAA	2355-31-9	ND U	0.163 J	
	N-EtFOSAA	2991-50-6	ND U	ND U	
	HFPO-DA	13252-13-6	6.86	6.82	
	PFMOAA	674-13-5	45.7	35.3	
	PFMOPrA	377-73-1	0.0851 L	0.120 L	
	PFO2HxA	39492-88-1	11.0	11.1	
	PFO3OA	39492-89-2	2.00	2.10	
	PFO4DA	39492-90-5	0.679 L	0.553 L	
	Nafion Byproduct 1	29311-67-9	ND U	ND U	
	ADONA	919005-14-4	ND U	ND U	
	9Cl-PF3ONS	756426-58-1	ND U	ND U	
	11Cl-PF3OUdS	763051-92-9	ND U	ND U	
	10:2 FTS	120226-60-0	ND U	ND U	
	EVE Acid	69087-46-3	ND U	0.00157 L	
	FBSA	30334-69-1	1.91	1.87	
	Hydro-EVE Acid	773804-62-9	0.436 L	0.405 L	
	Hydrolyzed PSDA	2416366-19-1	11.7	12.9	
	Nafion Byproduct 2	749836-20-2	0.708	0.656	
	N-EtFOSA	4151-50-2	ND U	ND U	
	N-EtFOSE	1691-99-2	ND U	ND U	
	NFDHA	151772-58-6	ND U	ND U	
	N-MeFOSA	31506-32-8	ND U	ND U	
	N-MeFOSE	24448-09-7	ND U	ND U	
	NVHOS	1132933-86-8	8.41	12.1	
	PEPA	267239-61-2	1.90	1.84	
	PFECA-G	801212-59-9	ND U	ND U	
	PFEESA	113507-82-7	0.865	0.287 J	
	PFHxDA	67905-19-5	ND U	ND U	
	PFMOBA	863090-89-5	ND U	ND U	
PFO5DA	39492-91-6	0.0553 L	0.0545 L		
PMPA	13140-29-9	6.61	6.47		
R-EVE	2416366-22-6	8.95	6.35		
R-PSDA	2416366-18-0	17.4	13.7		
R-PSDCA	241636-21-5	0.142 L	0.129 L		

Detailed Results



Enthalpy Analytical

Job No.: 0822-801-1 PFAS by Isotope Dilution (non-potable water)

Brunswick County Public Utilities - NC Client Project: N/A Site: Northwest Water Plant

Enthalpy ID	0822-801-001-1	Prep Batch	EUS103	Sample Vol (mL)	277.14
Sample Name	082622S01	Prep Date	2022-08-29 11:55	Extract Vol (mL)	0.4
Matrix	AQ	Analysis Date	2022-08-31 21:01	Split Factor	N/A
Sampling Date	8/26/2022	Analyst	rappelle	Method Code	WM-026
Received Date	2022-08-26 13:45	Instrument	Pippin/Killi	Sample Type	Sample

	Compound	CAS	Extract Concentration ng/L	Sample Concentration ng/L	Formatted Result ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags
Acids	PFBA	375-22-4	6153.13	8.88	8.88	0.138	0.577			
	PFPeA	2706-90-3	15647.28	22.6	22.6	0.153	0.577			
	PFHxA	307-24-4	10697.88	15.4	15.4	0.174	0.577			
	PFHpA	375-85-9	4285.14	6.18	6.18	0.110	0.577			
	PFOA	335-67-1	5911.62	8.53	8.53	0.160	0.577			
	PFNA	375-95-1	863.81	1.25	1.25	0.0686	0.577			
	PFDA	335-76-2	529.42	0.764	0.764	0.0762	0.577			
	PFUnDA	2058-94-8	176.16	0.254	0.254	0.167	0.577			J
	PFDoDA	307-55-1	43.52	0.0628	0.0628	0.182	0.577			L
	PFTeDA	72629-94-8	ND	ND	ND	0.136	0.577			U
Sulfonates	PFTeDA	376-06-7	ND	ND	ND	0.197	0.577			U
	PFBS	375-73-5	7142.32	10.3	10.3	0.320	0.674			
	PFPeS	2706-91-4	1022.62	1.48	1.48	0.186	0.544			
	PFHxS	355-46-4	6324.23	9.13	9.13	0.172	0.529			
	PFHpS	375-92-8	282.68	0.408	0.408	0.122	0.550			J
	PFOS	1763-23-1	13202.28	19.1	19.1	0.144	0.535			
	PFNS	68259-12-1	ND	ND	ND	0.0779	0.556			U
	PFDS	335-77-3	ND	ND	ND	0.173	0.556			U
	4:2 FTS	757124-72-4	ND	ND	ND	0.106	0.541			U
	6:2 FTS	27619-97-2	407.23	0.588	0.588	0.105	0.550			
Other	8:2 FTS	39108-34-4	ND	ND	ND	0.154	0.553			U
	PFOSA	754-91-6	ND	ND	ND	0.117	0.577			U
	N-MeFOSAA	2355-31-9	ND	ND	ND	0.130	0.577			U
	N-EiFOSAA	2991-50-6	ND	ND	ND	0.0983	0.577			U
	HFPO-DA	13252-13-6	4750.31	6.86	6.86	0.206	0.577			
	PFMOA	674-13-5	31664.43	45.7	45.7	1.30	1.30			
	PFMOPrA	377-73-1	58.96	0.0851	0.0851	0.216	0.577			L
	PFO2HxA	39492-88-1	7607.22	11.0	11.0	1.30	1.30			
	PFO3OA	39492-89-2	1388.30	2.00	2.00	1.30	1.30			
	PF4ODA	39492-90-5	470.21	0.679	0.679	1.37	1.37			L
	Nafion Byproduct 1	29311-67-9	ND	ND	ND	0.274	0.577			U
	ADONA	919005-14-4	ND	ND	ND	0.108	0.547			U
	9Cl-PF3ONS	756426-58-1	ND	ND	ND	0.108	0.538			U
	11Cl-PF3OUdS	763051-92-9	ND	ND	ND	0.108	0.544			U
	10:2 FTS	120226-60-0	ND	ND	ND	0.216	0.577			U
	EVE Acid	69087-46-3	ND	ND	ND	1.30	1.30			U
	FBSA	30334-69-1	1321.82	1.91	1.91	0.216	0.577			
	Hydro-EVE Acid	773804-62-9	302.31	0.436	0.436	1.30	1.30			L
	Hydrolyzed PSDA	2416366-19-1	8105.64	11.7	11.7	1.30	1.30			
	Nafion Byproduct 2	749836-20-2	490.73	0.708	0.708	0.274	0.577			
	N-EiFOSA	4151-50-2	ND	ND	ND	0.216	0.577			U
	N-EiFOSE	1691-99-2	ND	ND	ND	6.49	6.49			U
	NFDHA	151772-58-6	ND	ND	ND	0.216	0.577			U
	N-MeFOSA	31506-32-8	ND	ND	ND	0.216	0.577			U
	N-MeFOSE	24448-09-7	ND	ND	ND	6.49	6.49			U
	NVHOS	1132933-86-8	5828.21	8.41	8.41	1.30	1.30			
	PEPA	267239-61-2	1319.79	1.90	1.90	1.30	1.30			
	PFECA-G	801212-59-9	ND	ND	ND	0.274	1.30			U
	PFEESA	113507-82-7	599.42	0.865	0.865	0.216	0.577			
	PFHxDA	67905-19-5	ND	ND	ND	1.30	1.30			U
PFMOBA	863090-89-5	ND	ND	ND	1.30	1.30			U	
PFOSDA	39492-91-6	38.28	0.0553	0.0553	1.37	1.37			L	
PMPA	13140-29-9	4581.18	6.61	6.61	1.30	1.30				
R-EVE	2416366-22-6	6200.38	8.95	8.95	1.30	1.30				
R-PSDA	2416366-18-0	12044.60	17.4	17.4	1.30	1.30				
R-PSDCA	241636-21-5	98.04	0.142	0.142	1.30	1.30			L	
ES	MPFBA		4844.33	6.99				20-150%	96.9%	
	M5PFPeA		4958.15	7.16				20-150%	99.2%	
	M3PFBS		5137.06	7.41				20-150%	102.7%	
	M2-4:2 FTS		10560.34	15.2				20-150%	211.2%	Q
	M5PFHxA		4002.55	5.78				20-150%	80.1%	
	M3HFPO-DA		4283.59	6.18				20-150%	85.7%	
	M4PFHpA		4579.59	6.61				20-150%	91.6%	
	M3PFHxS		4901.29	7.07				20-150%	98.0%	
	M2-6:2 FTS		9365.81	13.5				20-150%	187.3%	Q
	M8PFOA		4459.90	6.44				20-150%	89.2%	
	M9PFNA		4234.03	6.11				20-150%	84.7%	
	M8PFOS		4552.33	6.57				20-150%	91.0%	
	M2-8:2 FTS		7990.57	11.5				20-150%	159.8%	Q
	M8FOSA-I		5006.54	7.23				20-150%	100.1%	
	M6PFDA		4882.99	7.05				20-150%	97.7%	
	d3-N-MeFOSAA		5710.91	8.24				20-150%	114.2%	
	d5-N-EiFOSAA		5294.36	7.64				20-150%	105.9%	
	M7PFUdA		4856.42	7.01				20-150%	97.1%	
	MPFDoA		3291.81	4.75				20-150%	65.8%	
	M2PFTeDA		2442.54	3.53				20-150%	48.9%	
	d3-N-MeFOSA		3525.35	5.09				10-200%	35.3%	
	d5-N-EiFOSA		4092.55	5.91				10-200%	40.9%	
	d7-N-MeFOSE		4308.03	6.22				10-200%	43.1%	
	d9-N-EiFOSE		4010.92	5.79				10-200%	40.1%	

Enthalpy Analytical

Job No.: 0822-801-1 PFAS by Isotope Dilution (non-potable water)

Brunswick County Public Utilities - NC Client Project: N/A Site: Northwest Water Plant

Enthalpy ID	0822-801-002-1	Prep Batch	EUS103	Sample Vol (mL)	289.33
Sample Name	082622E01	Prep Date	2022-08-29 11:55	Extract Vol (mL)	0.4
Matrix	AQ	Analysis Date	2022-08-31 21:24	Split Factor	N/A
Sampling Date	8/26/2022	Analyst	rappelle	Method Code	WM-026
Received Date	2022-08-26 13:45	Instrument	Pippin/Killi	Sample Type	Sample

	Compound	CAS	Extract Concentration ng/L	Sample Concentration ng/L	Formatted Result ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags
Acids	PFBA	375-22-4	7279.76	10.1	10.1	0.132	0.553			
	PFFpEA	2706-90-3	18523.65	25.6	25.6	0.147	0.553			
	PFHxA	307-24-4	11869.07	16.4	16.4	0.167	0.553			
	PFFHpA	375-85-9	4642.69	6.42	6.42	0.105	0.553			
	PFOA	335-67-1	6498.35	8.98	8.98	0.153	0.553			
	PFNA	375-95-1	901.35	1.25	1.25	0.0658	0.553			
	PFDA	335-76-2	457.28	0.632	0.632	0.0730	0.553			
	PFOA	2058-94-8	117.26	0.162	0.162	0.160	0.553			J
	PFOA	307-55-1	17.48	0.0242	0.0242	0.175	0.553			L
	PFOA	72629-94-8	ND	ND	ND	0.130	0.553			U
Sulfonates	PFOA	376-06-7	ND	ND	ND	0.188	0.553			U
	PFBS	375-73-5	7810.60	10.8	10.8	0.307	0.646			
	PFFpES	2706-91-4	951.35	1.32	1.32	0.178	0.521			
	PFHxS	355-46-4	6339.30	8.76	8.76	0.165	0.506			
	PFFHpS	375-92-8	271.90	0.376	0.376	0.117	0.527			J
	PFOS	1763-23-1	12601.36	17.4	17.4	0.138	0.512			
	PFNS	68259-12-1	ND	ND	ND	0.0747	0.533			U
	PFDS	335-77-3	ND	ND	ND	0.166	0.533			U
	4:2 FTS	757124-72-4	7.81	0.0108	0.0108	0.102	0.518			L
	6:2 FTS	27619-97-2	1063.15	1.47	1.47	0.100	0.527			
Other	8:2 FTS	39108-34-4	ND	ND	ND	0.148	0.530			U
	PFOSA	754-91-6	ND	ND	ND	0.112	0.553			U
	N-MeFOSAA	2355-31-9	118.16	0.163	0.163	0.124	0.553			J
	N-EiFOSAA	2991-50-6	ND	ND	ND	0.0942	0.553			U
	HFPO-DA	13252-13-6	4933.96	6.82	6.82	0.197	0.553			
	PFMOAA	674-13-5	25566.78	35.3	35.3	1.24	1.24			
	PFMOPrA	377-73-1	87.07	0.120	0.120	0.207	0.553			L
	PFO2HxA	39492-88-1	8005.46	11.1	11.1	1.24	1.24			
	PFO3OA	39492-89-2	1521.04	2.10	2.10	1.24	1.24			
	PFO4DA	39492-90-5	399.96	0.553	0.553	1.31	1.31			L
	Nafion Byproduct 1	29311-67-9	ND	ND	ND	0.263	0.553			U
	ADONA	919005-14-4	ND	ND	ND	0.104	0.524			U
	9Cl-PF3ONS	756426-58-1	ND	ND	ND	0.104	0.515			U
	11Cl-PF3OUdS	763051-92-9	ND	ND	ND	0.104	0.521			U
	10:2 FTS	120226-60-0	ND	ND	ND	0.207	0.553			U
	EVE Acid	69087-46-3	1.14	0.00157	0.00157	1.24	1.24			L
	FBSA	30334-69-1	1354.87	1.87	1.87	0.207	0.553			
	Hydro-EVE Acid	773804-62-9	292.71	0.405	0.405	1.24	1.24			L
	Hydrolyzed PSDA	2416366-19-1	9330.57	12.9	12.9	1.24	1.24			
	Nafion Byproduct 2	749836-20-2	474.41	0.656	0.656	0.263	0.553			
	N-EiFOSA	4151-50-2	ND	ND	ND	0.207	0.553			U
	N-EiFOSE	1691-99-2	ND	ND	ND	6.22	6.22			U
	NFDHA	151772-58-6	ND	ND	ND	0.207	0.553			U
	N-MeFOSA	31506-32-8	ND	ND	ND	0.207	0.553			U
	N-MeFOSE	24448-09-7	ND	ND	ND	6.22	6.22			U
	NVHOS	1132933-86-8	8749.42	12.1	12.1	1.24	1.24			
	PEPA	267239-61-2	1332.68	1.84	1.84	1.24	1.24			
	PFECA-G	801212-59-9	ND	ND	ND	0.263	1.24			U
	PFEESA	113507-82-7	207.60	0.287	0.287	0.207	0.553			J
	PFFHpDA	67905-19-5	ND	ND	ND	1.24	1.24			U
PFMOBA	863090-89-5	ND	ND	ND	1.24	1.24			U	
PFO5DA	39492-91-6	39.39	0.0545	0.0545	1.31	1.31			L	
PMPA	13140-29-9	4683.35	6.47	6.47	1.24	1.24				
R-EVE	2416366-22-6	4589.61	6.35	6.35	1.24	1.24				
R-PSDA	2416366-18-0	9932.12	13.7	13.7	1.24	1.24				
R-PSDCA	2416366-21-5	93.37	0.129	0.129	1.24	1.24			L	
ES	MPFBA		4823.06	6.67				20-150%	96.5%	
	M5PFFpEA		4651.93	6.43				20-150%	93.0%	
	M3PFBS		4883.33	6.75				20-150%	97.7%	
	M2-4:2 FTS		9964.79	13.8				20-150%	199.3%	Q
	M5PFFHpA		4305.74	5.95				20-150%	86.1%	
	M3HFPO-DA		4311.42	5.96				20-150%	86.2%	
	M4PFFHpA		4581.02	6.33				20-150%	91.6%	
	M3PFFHpS		4874.57	6.74				20-150%	97.5%	
	M2-6:2 FTS		8739.07	12.1				20-150%	174.8%	Q
	M8PFOA		4557.34	6.30				20-150%	91.1%	
	M9PFNA		4216.35	5.83				20-150%	84.3%	
	M8PFOS		4389.25	6.07				20-150%	87.8%	
	M2-8:2 FTS		8072.29	11.2				20-150%	161.4%	Q
	M8FOSA-I		4556.03	6.30				20-150%	91.1%	
	M6PFDA		4476.08	6.19				20-150%	89.5%	
	d3-N-MeFOSAA		5155.10	7.13				20-150%	103.1%	
	d5-N-EiFOSAA		4867.61	6.73				20-150%	97.4%	
	M7PFUdA		4124.17	5.70				20-150%	82.5%	
	MPFDOA		2905.61	4.02				20-150%	58.1%	
	M2PFFTeDA		1964.20	2.72				20-150%	39.3%	
	d3-N-MeFOSA		5201.05	7.19				10-200%	52.0%	
	d5-N-EiFOSA		6410.22	8.86				10-200%	64.1%	
	d7-N-MeFOSE		4075.21	5.63				10-200%	40.8%	
	d9-N-EiFOSE		3823.51	5.29				10-200%	38.2%	

QC Data



Enthalpy Analytical

Job No.: 0822-801-1 PFAS by Isotope Dilution (non-potable water)

Brunswick County Public Utilities - NC Client Project: N/A Site: Northwest Water Plant

Enthalpy ID	MB_EUS103_PFAS	Prep Batch	EUS103	Sample Vol (mL)	250
Sample Name	MB_EUS103_PFAS	Prep Date	2022-08-29 11:55	Extract Vol (mL)	0.4
Matrix	aqueous	Analysis Date	2022-08-31 19:07	Split Factor	N/A
Sampling Date		Analyst	rappelle	Method Code	WM-026
Received Date		Instrument	Pippin/Kili	Sample Type	Blank

	Compound	CAS	Extract Concentration ng/L	Sample Concentration ng/L	Formatted Result ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags	
Acids	PFBA	375-22-4	ND	ND	ND	0.153	0.640			U	
	PFPeA	2706-90-3	ND	ND	ND	0.170	0.640			U	
	PFHxA	307-24-4	ND	ND	ND	0.193	0.640			U	
	PFHpA	375-85-9	ND	ND	ND	0.122	0.640			U	
	PFOA	335-67-1	ND	ND	ND	0.177	0.640			U	
	PFNA	375-95-1	ND	ND	ND	0.0761	0.640			U	
	PFDA	335-76-2	ND	ND	ND	0.0845	0.640			U	
	PFUnDA	2058-94-8	ND	ND	ND	0.185	0.640			U	
	PFDoDA	307-55-1	ND	ND	ND	0.202	0.640			U	
	PFTeDA	72629-94-8	ND	ND	ND	0.151	0.640			U	
	PFTeDA	376-06-7	ND	ND	ND	0.218	0.640			U	
	PFBS	375-73-5	ND	ND	ND	0.355	0.747			U	
	PFPeS	2706-91-4	ND	ND	ND	0.206	0.603			U	
	PFHxS	355-46-4	ND	ND	ND	0.191	0.586			U	
Sulfonates	PFHpS	375-92-8	ND	ND	ND	0.135	0.610			U	
	PFOS	1763-23-1	18.22	0.0292	0.0292	0.160	0.593			L	
	PFNS	68259-12-1	ND	ND	ND	0.0864	0.616			U	
	PFDS	335-77-3	ND	ND	ND	0.192	0.616			U	
	4:2 FTS	757124-72-4	ND	ND	ND	0.118	0.600			U	
	6:2 FTS	27619-97-2	ND	ND	ND	0.116	0.610			U	
	8:2 FTS	39108-34-4	ND	ND	ND	0.171	0.613			U	
	PFOSA	754-91-6	ND	ND	ND	0.130	0.640			U	
	N-MeFOSAA	2355-31-9	ND	ND	ND	0.144	0.640			U	
	N-EiFOSAA	2991-50-6	ND	ND	ND	0.109	0.640			U	
	HFPO-DA	13252-13-6	ND	ND	ND	0.228	0.640			U	
	PFMOA	674-13-5	ND	ND	ND	1.44	1.44			U	
	PFMOPrA	377-73-1	ND	ND	ND	0.240	0.640			U	
	PF2OHxA	39492-88-1	ND	ND	ND	1.44	1.44			U	
Other	PF3OxA	39492-89-2	ND	ND	ND	1.44	1.44			U	
	PF4OxA	39492-90-5	ND	ND	ND	1.52	1.52			U	
	Nafion Byproduct 1	29311-67-9	ND	ND	ND	0.304	0.640			U	
	ADONA	919005-14-4	ND	ND	ND	0.120	0.606			U	
	9Cl-PF3ONS	756426-58-1	ND	ND	ND	0.120	0.596			U	
	11Cl-PF3OUdS	763051-92-9	ND	ND	ND	0.120	0.603			U	
	10:2 FTS	120226-60-0	ND	ND	ND	0.240	0.640			U	
	EVE Acid	69087-46-3	ND	ND	ND	1.44	1.44			U	
	FBSA	30334-69-1	ND	ND	ND	0.240	0.640			U	
	Hydro-EVE Acid	773804-62-9	ND	ND	ND	1.44	1.44			U	
	Hydrolyzed PSDA	2416366-19-1	ND	ND	ND	1.44	1.44			U	
	Nafion Byproduct 2	749836-20-2	ND	ND	ND	0.304	0.640			U	
	N-EiFOA	4151-50-2	ND	ND	ND	0.240	0.640			U	
	N-EiFOSE	1691-99-2	ND	ND	ND	7.20	7.20			U	
	NFDHA	151772-58-6	ND	ND	ND	0.240	0.640			U	
	N-MeFOA	31506-32-8	ND	ND	ND	0.240	0.640			U	
	N-MeFOSE	24448-09-7	ND	ND	ND	7.20	7.20			U	
	NVHOS	1132933-86-8	ND	ND	ND	1.44	1.44			U	
	PEPA	267239-61-2	ND	ND	ND	1.44	1.44			U	
	PFECA-G	801212-59-9	ND	ND	ND	0.304	1.44			U	
	PFEESA	113507-82-7	ND	ND	ND	0.240	0.640			U	
	PFHxDA	67905-19-5	ND	ND	ND	1.44	1.44			U	
	PFMOBA	863090-89-5	ND	ND	ND	1.44	1.44			U	
	PFOSDA	39492-91-6	ND	ND	ND	1.52	1.52			U	
	PMPA	13140-29-9	ND	ND	ND	1.44	1.44			U	
	R-EVE	2416366-22-6	ND	ND	ND	1.44	1.44			U	
	R-PSDA	2416366-18-0	ND	ND	ND	1.44	1.44			U	
	R-PSDCA	241636-21-5	ND	ND	ND	1.44	1.44			U	
	ES	MPFBA		4456.47	7.13				20-150%	89.1%	
		M5PFPeA		3958.40	6.33				20-150%	79.2%	
		M3PFBS		3926.70	6.28				20-150%	78.5%	
		M2-4:2 FTS		7670.05	12.3				20-150%	153.4%	Q
		M5PFHxA		4433.32	7.09				20-150%	88.7%	
		M3HFPO-DA		4153.07	6.64				20-150%	83.1%	
M4PFHpA			4428.05	7.08				20-150%	88.6%		
M3PFHxS			6636.78	10.6				20-150%	132.7%		
M2-6:2 FTS			6956.60	11.1				20-150%	139.1%		
M8PFOA			4166.85	6.67				20-150%	83.3%		
M9PFNA			3331.99	5.33				20-150%	66.6%		
M8PFOS			3672.44	5.88				20-150%	73.4%		
M2-8:2 FTS			6007.01	9.61				20-150%	120.1%		
M8FOSA-I			2842.61	4.55				20-150%	56.9%		
M6PFDA			3455.62	5.53				20-150%	69.1%		
d3-N-MeFOSAA			4065.41	6.50				20-150%	81.3%		
d5-N-EiFOSAA			3814.93	6.10				20-150%	76.3%		
M7PFUdA			3077.53	4.92				20-150%	61.6%		
MPFDoA			2584.15	4.13				20-150%	51.7%		
M2PFTeDA			1245.02	1.99				20-150%	24.9%		
d3-N-MeFOA			31.23	0.0500				10-200%	0.31%	Q	
d5-N-EiFOA			45.26	0.0724				10-200%	0.45%	Q	
d7-N-MeFOSE			2285.80	3.66				10-200%	22.9%		
d9-N-EiFOSE			1776.07	2.84				10-200%	17.8%		

Enthalpy Analytical

Job No.: 0822-801-1 PFAS by Isotope Dilution (non-potable water)

Brunswick County Public Utilities - NC Client Project: N/A Site: Northwest Water Plant

Enthalpy ID	OPR_EUS103_PFAS	Prep Batch	EUS103	Sample Vol (mL)	250
Sample Name	OPR_EUS103_PFAS	Prep Date	2022-08-29 11:55	Extract Vol (mL)	0.4
Matrix	aqueous	Analysis Date	2022-08-31 19:30	Split Factor	N/A
Sampling Date		Analyst	rappelle	Method Code	WM-Q26
Received Date		Instrument	Pippin/Kili	Sample Type	Control

	Compound	CAS	Extract Concentration ng/L	Sample Concentration ng/L	Formatted Result ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags
Acids	PFBA	375-22-4	12802.17	20.5	20.5	0.153	0.640	73-129%	102.4%	
	PFPeA	2706-90-3	14616.88	23.4	23.4	0.170	0.640	72-129%	116.9%	
	PFHxA	307-24-4	14556.98	23.3	23.3	0.193	0.640	72-129%	116.5%	
	PFHpA	375-85-9	13854.13	22.2	22.2	0.122	0.640	72-130%	110.8%	
	PFOA	335-67-1	14017.85	22.4	22.4	0.177	0.640	71-133%	112.1%	
	PFNA	375-95-1	13584.08	21.7	21.7	0.0761	0.640	69-130%	108.7%	
	PFDA	335-76-2	12614.51	20.2	20.2	0.0845	0.640	71-129%	100.9%	
	PFUnDA	2058-94-8	12989.39	20.8	20.8	0.185	0.640	69-133%	103.9%	
	PFDoDA	307-55-1	12262.71	19.6	19.6	0.202	0.640	72-134%	98.1%	
	PFTeDA	72629-94-8	40151.77	64.2	64.2	0.151	0.640	65-144%	321.2%	Q
PFTeDA	376-06-7	16458.63	26.3	26.3	0.218	0.640	71-132%	131.7%		
Sulfonates	PFBS	375-73-5	13452.98	21.5	21.5	0.355	0.747	72-134%	121.3%	
	PFPeS	2706-91-4	14080.26	22.5	22.5	0.206	0.603	71-127%	119.7%	
	PFHxS	355-46-4	12332.80	19.7	19.7	0.191	0.586	68-131%	107.9%	
	PFHpS	375-92-8	15345.35	24.6	24.6	0.135	0.610	69-134%	128.8%	
	PFOS	1763-23-1	14421.62	23.1	23.1	0.160	0.593	65-140%	124.3%	
	PFNS	68259-12-1	11436.37	18.3	18.3	0.0864	0.616	69-127%	95.1%	
	PFDS	335-77-3	7947.70	12.7	12.7	0.192	0.616	53-142%	65.9%	
	4:2 FTS	757124-72-4	11393.99	18.2	18.2	0.118	0.600	63-143%	97.3%	
	6:2 FTS	27619-97-2	13497.39	21.6	21.6	0.116	0.610	64-140%	113.5%	
	8:2 FTS	39108-34-4	13553.62	21.7	21.7	0.171	0.613	67-138%	112.9%	
Other	PFOSA	754-91-6	10261.63	16.4	16.4	0.130	0.640	67-137%	82.1%	
	N-MeFOSAA	2355-31-9	14535.03	23.3	23.3	0.144	0.640	65-136%	116.3%	
	N-EiFOSAA	2991-50-6	16272.87	26.0	26.0	0.109	0.640	61-135%	130.2%	
	HFPO-DA	13252-13-6	13085.99	20.9	20.9	0.228	0.640	70-130%	104.7%	
JS	M3PFBA		6139.82	9.82				20-150%	122.8%	
	M2PFOA		6155.40	9.85				20-150%	123.1%	
	MPPFDA		5019.90	8.03				20-150%	100.4%	
	MPFOS		4817.25	7.71				20-150%	96.3%	
ES	MPFBA		861.88	1.38				20-150%	17.2%	Q
	M5PFPeA		713.17	1.14				20-150%	14.3%	Q
	M3PFBS		701.59	1.12				20-150%	14.0%	Q
	M2-4:2 FTS		1471.11	2.35				20-150%	29.4%	
	M5PFHxA		765.40	1.22				20-150%	15.3%	Q
	M3HFPO-DA		786.44	1.26				20-150%	15.7%	Q
	M4PFHpA		825.73	1.32				20-150%	16.5%	Q
	M3PFHxS		1240.61	1.98				20-150%	24.8%	
	M2-6:2 FTS		1325.56	2.12				20-150%	26.5%	
	M8PFOA		770.28	1.23				20-150%	15.4%	Q
	M9PFNA		720.67	1.15				20-150%	14.4%	Q
	M8PFOS		716.21	1.15				20-150%	14.3%	Q
	M2-8:2 FTS		933.58	1.49				20-150%	18.7%	Q
	M8FOSA-I		582.20	0.932				20-150%	11.6%	Q
	M6PFDA		749.33	1.20				20-150%	15.0%	Q
	d3-N-MeFOSAA		798.73	1.28				20-150%	16.0%	Q
	d5-N-EiFOSAA		670.99	1.07				20-150%	13.4%	Q
	M7PFUdA		600.88	0.961				20-150%	12.0%	Q
	MPFDoA		385.88	0.617				20-150%	7.72%	Q
	M2PFTeDA		68.62	0.110				20-150%	1.37%	Q
d3-N-MeFOSA		43.68	0.0699				10-200%	0.44%	Q	
d5-N-EiFOSA		45.69	0.0731				10-200%	0.46%	Q	
d7-N-MeFOSE		377.75	0.604				10-200%	3.78%	Q	
d9-N-EiFOSE		245.01	0.392				10-200%	2.45%	Q	

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Brunswick County Public Utilities - NC
Job No.	0822-801-1 PFAS by Isotope Dilution (non-potable water)
Client ID.	N/A Site: Northwest Water Plant

1. Custody

Jovan Gres received the samples on August 26, 2022 at 13.7 °C after being relinquished by Brunswick County Public Utilities - NC. The samples were received in good condition.

Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC.

Table 1 - Sample Inventory

EU Lab Sample ID	Client Sample ID	Matrix
0822-801-001-1	082622S01	AQ
0822-801-002-1	082622E01	AQ

2. Methods and Analytes

A list of analytes of interest and corresponding methods of analysis is shown in Table 3. Abbreviations are defined in the listed Appendices.

Table 3 - Methods and Analytes

EU Method	Analytes	Cleanup Method
EU-047	Brunswick PFAS List	ENVI-Carb

3. Analysis

The samples were analyzed using Waters Acquity UPLC equipped with Xevo TQ MS (LC/MS/MS "Kili" and "Pippin").

For aqueous samples, the sample volume was measured gravimetrically by the laboratory, and spiked with Extraction Standard (ES). The sample was then mixed well and centrifuged, if needed. The samples were then extracted via SPE, and the extracts were cleaned up using ENVI-Carb.

Each final sample extract was transferred to an autosampler vial, spiked with Injection Standard (IS), and brought to a final volume of 400µL prior to analysis.

The samples were analyzed on more than one instrument sequence in order to include all of the analytes of interest and to meet method acceptance criteria.

4. Calibration

In the initial calibration, the reported analytes exhibited R^2 of ≥ 0.99 . The reported analytes in the calibration standards, continuing calibration (concal) and Initial Calibration Verification (ICV) met the 30% accuracy criterion for native analytes.

The Technical Director extended the method criteria for certain non-legacy analytes that do not have their own internal standard and exhibit observed variability during calibration.

Enthalpy Analytical Narrative Summary

Company	Brunswick County Public Utilities - NC
Job No.	0822-801-1 PFAS by Isotope Dilution (non-potable water)
Client ID.	N/A Site: Northwest Water Plant

5. QC Notes

Except where noted below, the QC sample analyses passed all method criteria.

QC samples that did not meet method acceptance criteria were:

OPR_EUS103_PFA5 PFTrDA fell above method recovery criteria. This analyte was not detected in the samples above LOD; therefore, the data is reportable without adverse impact.

MB_EUS103_PFA5 d3-N-MeFOSA, MB_EUS103_PFA5 d5-N-EtFOSA, MB_EUS103_PFA5 M2-4:2 FTS, OPR_EUS103_PFA5 d3-N-MeFOSA, OPR_EUS103_PFA5 d3-N-MeFOSAA, OPR_EUS103_PFA5 d5-N-EtFOSA, OPR_EUS103_PFA5 d5-N-EtFOSAA, OPR_EUS103_PFA5 d7-N-MeFOSE, OPR_EUS103_PFA5 d9-N-EtFOSE, OPR_EUS103_PFA5 M2-8:2 FTS, OPR_EUS103_PFA5 M2PFTeDA, OPR_EUS103_PFA5 M3HFPO-DA, OPR_EUS103_PFA5 M3PFBS, OPR_EUS103_PFA5 M4PFHpA, OPR_EUS103_PFA5 M5PFHxA, OPR_EUS103_PFA5 M5PFPeA, OPR_EUS103_PFA5 M6PFDA, OPR_EUS103_PFA5 M7PFUdA, OPR_EUS103_PFA5 M8FOSA-I, OPR_EUS103_PFA5 M8PFOA, OPR_EUS103_PFA5 M8PFOS, OPR_EUS103_PFA5 M9PFNA, OPR_EUS103_PFA5 MPFBA, OPR_EUS103_PFA5 MPFD_oA

ES in the method blank (MB) and OPR that fell outside the control limits for ES recovery are denoted by the "Q" qualifier. Target analyte recovery (OPR) fell within method criteria and MB is non-detect for coordinating analytes. Data is reported with no adverse impact.

The samples were extracted within the 28-day from collection holding time and analyzed within the 28-day from extraction to analysis holding time required by the method.

Samples received above 6 °C, client notified in order acknowledgement documentation.

6. Reporting Notes

This report provides all results including detections below LOD following client instruction.

Some labeled extraction standards in the sample analyses fell outside the control limits for ES recovery, as denoted by the "Q" qualifier. The target analytes are quantified based on their ratio to their labeled standard analogs. As a result, low or high labeled standard recovery do not cause any change to ratios or contribute any additional error in the measurement of the target analytes. When detected at a signal-to-noise above 10:1 the ES peak area is used to quantify its respective target analyte using accepted isotope dilution principles. The data is reported without adverse impact.

The results presented in this report are representative of the samples as provided to the laboratory.

These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, LLC in Wilmington NC is accredited by the Louisiana Department of Environmental Quality to the 2009 TNI Standard under certificate number 05075.



General Reporting Notes – Data Qualifiers

The following are general reporting notes that are applicable to all Enthalpy Analytical, LLC - Wilmington, NC data reports, unless specifically noted otherwise.

General Data Qualifiers

- B – The analyte was found in the method blank, at a concentration that was at least 10% of the amount in the sample.
- Cxx – Two or more congeners co-elute. In EDDs, C denotes the lowest IUPAC congener in a co-elution group and additional co-eluters for the group ('xx') are shown with the number of the lowest IUPAC co-eluter.
- E – The reported concentration exceeds the calibration range (upper point of the calibration curve). For HRMS data, this condition does not imply additional measurement uncertainty. For LC-MS/MS data, these values should be considered as having measurement uncertainty higher than values within the calibration range.
- EDL – Estimated Detection Level: The EDL is unique to isotope dilution methods and reflects the conditions of analysis at the time of analysis, including the equipment used. Where the MDL is a static value, the EDL is a dynamic value.
- EMPC – Estimated Maximum Possible Concentration: EMPC is specific to Dioxin/Furan tests to indicate the determined ion-abundance ratio was outside the allowed theoretical range (usually due to being near the detection limit, although it can very rarely be caused by a co-eluting interference). The EMPC concentration is adjusted to reflect the value at the theoretical ion-abundance ratio.
- IR – The ion ratio between the primary and secondary ions was observed to be outside the method criteria. The analyte concentration may be inaccurate due to interference.
- J – The analyte has a concentration below the minimum calibration level (LOQ value) but greater than the LOD. These values should be considered as having measurement uncertainty higher than values within the calibration range
- L - Indicates that an analyte has a concentration below the Minimum Detection Limit (MDL). The reported concentration is not recommended for regulatory use as the analyte signal may have a signal-to-noise ratio less than the criteria deemed necessary to be considered a detected analyte.
- LOD – Limit of Detection: For reports conforming to the DOD ELAP QSM, this is the QSM-defined LOD. For reports conforming to TNI requirements (but not DOD ELAP QSM requirements), this value is the minimum detection limit (MDL). The LOD is adjusted for sample weight or volume.
- LOQ – Limit of Quantitation: For reports conforming to the DOD ELAP QSM, this is the QSM-defined LOQ. For reports conforming to TNI requirements (but not DOD ELAP QSM requirements), this value is the reporting limit (RL). The LOQ is adjusted for sample weight or volume.



General Reporting Notes – Data Qualifiers

- <LOD() – Analyte was not found at a concentration high enough to be reported as detected. It is reported as less than the LOD, and the LOD is given in the parentheses.
- <LOQ() – Analyte was not found at a concentration high enough to be reported as above the QSM-defined LOQ or TNI defined Reporting Limit. It is reported as less than the LOQ, and the LOQ is given in the parentheses.
- ND – Indicates a non-detect.
- NR – Indicates a value that is not reportable due to issues observed in sample preparation or analysis.
- PR – The associated congener(s) is(are) poorly resolved.
- QI – Indicates the presence of a quantitative interference.
- RL – Reporting Limit. Lowest reportable value. The level is higher than the MDL.
- SI – Denotes “Single Ion Mode” and is utilized for PCBs where the secondary ion trace has a significantly elevated noise level due to background PFK. Responses for such peaks are calculated using an EMPC approach based solely on the primary ion area(s) and may be considered estimates.
- U – The analyte was not detected.
- V / Q – The labeled standard recovery is not within method control limits.
- X – Indicates the result is from re-injection/repeat/second-column analysis.

Lab Identifiers/ Data Attributes

- AR – Indicates use of the archived portion of the sample extract.
- CU – Indicates a sample that required additional clean-up prior to HRMS injection/processing.
- D – Dilution Data. Result was obtained from the analysis of a dilution. The number that follows the “D” indicates the dilution factor.
- DE – Indicates a dilution performed with the addition of ES (Extraction Standard) solution.
- DUP – Designation for a duplicate sample.
- MS – Designation for a matrix spike.
- MSD – Designation for a matrix spike duplicate.
- R – Indicates a re-extraction of the sample.
- RJ – Indicates a reinjection of the sample extract.



General Reporting Notes – Data Qualifiers

- S – Indicates a sample split. The number that follows the “S” indicates the split factor.
- SAT – Indicates an analyte saturated the detector.

PFAS Compound Acronym List		
Acronym	CAS #	Compound Name
Target Analytes		
* Analyte is not accredited		
PFBA	375-22-4	Perfluorobutanoic Acid
PFPeA	2706-90-3	Perfluoropentanoic Acid
PFHxA	307-24-4	Perfluorohexanoic Acid
PFHpA	375-85-9	Perfluoroheptanoic Acid
PFOA	335-67-1	Perfluorooctanoic Acid
PFNA	375-95-1	Perfluorononanoic Acid
PFDA	335-76-2	Perfluorodecanoic acid
PFUnA (PFUnDA)	2058-94-8	Perfluoroundecanoic acid
PFDoA (PFDoDA)	307-55-1	Perfluorododecanoic acid
PFTriA (PFTriA)	72629-94-8	Perfluorotridecanoic acid
PFTeDA (PFTA)	376-06-7	Perfluorotetradecanoic acid
PFBS	375-73-5	Perfluorobutane sulfonic acid
PFPeS	2706-91-4	Perfluoropentane sulfonic acid
PFHxS	355-46-4	Perfluorohexane sulfonic acid
PFHpS	375-92-8	Perfluoroheptane sulfonic acid
PFOS	1763-23-1	Perfluorooctane sulfonic acid
PFNS	68259-12-1	Perfluorononane sulfonic acid
PFDS	335-77-3	Perfluorodecane sulfonic acid
4:2 FTS	757124-72-4	4:2 fluorotelomer sulfonic acid
6:2 FTS	27619-97-2	6:2 fluorotelomer sulfonic acid
8:2 FTS	39108-34-4	8:2 fluorotelomer sulfonic acid
PFOSA (FOSA)	754-91-6	Perfluorooctane sulfonamide
N-MeFOSAA	2355-31-9	N-methyl perfluorooctane sulfonamido acetic acid
N-EtFOSAA	2991-50-6	N-ethyl perfluorooctane sulfonamido acetic acid
HFPO-DA	13252-13-6	2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid (Gen-X)
11CI-PF3OUdS	763051-92-9	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid
9CI-PF3ONS	756426-58-1	9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid
ADONA	919005-14-4	4,8-dioxa-3H-perfluorononanoic acid
PFEESA	113507-82-7	Perfluoro(2-ethoxyethane)sulphonic acid
PFMOBA (PFMBA)	863090-89-5	Perfluoro-4-methoxybutanic acid
NFDHA	151772-58-6	Nonafluoro-3,6-dioxaheptanoic acid
PFMOPra (PFMPA)	377-73-1	Perfluoro-3-methoxypropanoic acid
* PFMOAA	674-13-5	Perfluoro-2-methoxyacetic acid
* PFO2HxA	39492-88-1	Perfluoro (3,5-dioxaheptanoic) acid
* PFO3OA	39492-89-2	Perfluoro (3,5,7-trioxaoctanoic) acid
* PFO4DA	39492-90-5	Perfluoro (3,5,7,9-tetraoxadecanoic) acid
* PFO5DA	39492-91-6	Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid
* Nafion Byproduct 1	29311-67-9	Nafion Byproduct 1
* Nafion Byproduct 2	749836-20-2	Nafion Byproduct 2
* PEPA	267239-61-2	Perfluoro-2-ethoxypropanoic acid
* PMPA	13140-29-9	Perfluoro-2-methoxypropanoic acid
* 10:2 FTS	120226-60-0	Fluorotelomer sulfonate 10:2
* N-EtFOSA	4151-50-2	N-ethylperfluoro-1-octanesulfonamide
* N-EtFOSE	1691-99-2	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol
* N-MeFOSA	31506-32-8	N-methylperfluoro-1-octanesulfonamide
* N-MeFOSE	24448-09-7	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol
* PFECA-G	801212-59-9	4-(Heptafluoroisopropoxy)hexafluorobutanoic acid
* PFHxDA	67905-19-5	Perfluorohexadecanoic acid
* R-PSDA (Nafion Byproduct 4)	2416366-18-0	Perfluoro-4-(2-sulfoethoxy)pentanoic acid

PFAS Compound Acronym List		
Acronym	CAS #	Compound Name
Target Analytes		
* Analyte is not accredited		
* Hydrolyzed PSDA (Nafion Byproduct 5)	2416366-19-1	2-fluoro-2-[1,1,2,3,3,3-hexafluoro-2-(1,1,2-tetrafluoro-2-sulfoethoxy)propoxy]-acetic acid
* R-PSDCA (Nafion Byproduct 6)	2416366-21-5	1,1,2,2-tetrafluoro-2-[1,2,2,3,3-pentafluoro-1-(trifluoromethyl)propoxy] ethanesulfonic acid
* EVE Acid	69087-46-3	2,2,3,3-tetrafluoro-3-({1,1,1,2,3,3-hexafluoro-3-[(1,2,2-trifluoroethenyl)oxy]propan-2-yl)oxy}propionic acid
* FBSA	30334-69-1	Perfluorobutylsulfonamide
* Hydro-EVE Acid	773804-62-9	2,2,3,3-Tetrafluoro-3-({1,1,1,2,3,3-hexafluoro-3-(1,2,2,2-tetrafluoroethoxy)propan-2-yl)oxy}propanoic acid
* R-EVE Acid	2416366-22-6	4-(2-carboxy-1,1,2,2-tetrafluoroethoxy)-2,2,3,3,4,5,5,5-octafluoro-pentanoic acid
* NVHOS	1132933-86-8	Perfluoroethoxysulfonic acid
* PFDoS	79780-39-5	Perfluorododecane sulfonic acid
* PFOA	16517-11-6	Perfluorooctadecanoic acid
* 3:3 FTCA	356-02-5	2H,2H,3H,3H-Perfluorohexanoic acid
* 5:3 FTCA	914637-49-3	2H,2H,3H,3H-Perfluorooctanoic acid
* 7:3 FTCA	812-70-4	2H,2H,3H,3H-Perfluorodecanoic acid
* N-AP-FHxSA	50598-28-2	N-(3-(Dimethylamino)propyl)tridecafluoro-1-hexanesulfonamide
* N-CMAmP-6:2 FOSA	34455-29-3	N-(Carboxymethyl)-N,N-dimethyl-3-(((3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)sulfonyl)amino)1-propanaminium

Sample Custody



[0822-801]



Chain of Custody Record

Enthalpy Ultratrace Job#: _____ COC Page 1 of 1

Special Handling:
 Standard Turn Around Time
 Rush Turn Around Time -- Date Needed _____
 • All Fast TATs Subject to Approval by Enthalpy Analytical, Inc.
 • All Samples Disposed of After 6 months Unless Otherwise Instructed.
Enthalpy Analytical, Wilmington, NC has added enhancements to standard methods to improve accuracy, precision and permit an assessment of laboratory performance in the context of your specific data needs. For more information email Cindy.James@enthalpy.com.

Client Name: BRUNSWICK COUNTY UTILITIES
 Project Manager: GLENN WALKER
 Report To: SAME

Project Number: _____
 Site Name: NORTHWEST WATER PLANT
 Location: LELAND N.C.

PO#: _____
 Telephone#: _____
 Email: _____

This Chain of Custody is applicable to Non-Air samples. Standard TAT differ per analysis and are provided by request.

Client Special Instructions:

 Matrix: GW-Groundwater, WW-Wastewater, NW-Non-Potable Water, DW-Drinking Water, S-Soil, SL-Sludge, BT-Biological Tissue, O-Other
 Type: G=Grab C=Composite Q=Quality Control

Sample ID	Date	Time	Sample Volume	Type	Matrix	Sample Containers				Analyses:							Notes:		
						# of Bottles	# of Jars	# of Bags	# Other	Method 1613	Method 8290	Method 1668A/B/C PCB	PFAS by LC/MS/MS	PAHs by HPGC/HRMS	Sample on Hold	Method 23		ALL PFAS	
082622S01	8/26/2022	1215	250 ml	G	NW	2												X	
082622E01	8/26/2022	1215	250 ml	G	DW	2												X	

Carrier, Cooler, on ICE, 13.7, T10, No Seal, Good condition 56 8126122

Relinquished By:	Date:	Received By:	Date:	Time:	Sample Temperature Upon Receipt:
Phil McCulloch	8/26/2022	Juan Gras JG	8/26/22	1:45	<input checked="" type="checkbox"/> Iced <input type="checkbox"/> Ambient °C <u>13.7</u>
					<input type="checkbox"/> Iced <input type="checkbox"/> Ambient °C _____
					<input type="checkbox"/> Iced <input type="checkbox"/> Ambient °C _____

**This Is The Last Page
Of This Report.**

