

Brunswick County Public Utilities - NC

PO Box 249
Bolivia, NC 28422-0249

Leland, N.C.

Client Project# Northwest Water Plant
Samples Received: 5/10/2024

Analytical Report 0524-775

PFAS by Isotope Dilution (non-potable water)

Custom List

Report Issue Date: 6/7/2024

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This analytical report was prepared in Portable Document Format (.PDF) and contains 24 pages. This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Laura Boivin, QA Associate II



Enthalpy Analytical, LLC – Ultratrace
Christina Kurnath, Project Manager
chkurnath@montrose-env.com / www.enthalpy.com
O: 910-876-6895
2714 Exchange Drive, Wilmington, NC 28405

Summary of Results



Enthalpy Analytical

Job No.: 0524-775-1 PFAS by Isotope Dilution (non-potable water)
 Brunswick County Public Utilities - NC Northwest Water Plant Leland, N.C.

Summary

	Compound	CAS	051024-SO1 ng/L	051024-EO1 ng/L	
Acids	PFPtA	422-64-0	10.2	5.34	
	PFBA	375-22-4	ND U	ND U	
	PFPeA	2706-90-3	5.12	7.15	
	PFHxA	307-24-4	6.13	7.46	
	PFHpA	375-85-9	2.32	2.92	
	PFOA	335-67-1	4.99	6.19	
	PFNA	375-95-1	0.465 J	0.656	
	PFDA	335-76-2	0.167 J	0.309 J	
	PFUnDA	2058-94-8	ND U	ND U	
	PFDoDA	307-55-1	ND U	ND U	
	PFTtDA	72629-94-8	ND U	ND U	
	PFTeDA	376-06-7	ND U	ND U	
	PFHxDA	67905-19-5	ND U	ND U	
	Sulfonates	PFBS	375-73-5	4.34	5.26
		PFPeS	2706-91-4	0.708	0.838
		PFHxS	355-46-4	4.20	4.88
PFHpS		375-92-8	0.227 L	0.238 L	
PFOS		1763-23-1	10.5	13.3	
PFNS		68259-12-1	ND U	ND U	
PFDS		335-77-3	ND U	ND U	
4:2 FTS		757124-72-4	ND U	ND U	
6:2 FTS		27619-97-2	0.0719 L	0.141 L	
8:2 FTS		39108-34-4	ND U	ND U	
10:2 FTS		120226-60-0	ND U	ND U	
Sulfonamidos	FBSA	30334-69-1	0.555	0.596	
	N-EtFOSA	4151-50-2	ND U	ND U	
	N-EtFOSAA	2991-50-6	ND U	ND U	
	N-EtFOSE	1691-99-2	ND U	ND U	
	N-MeFOSA	31506-32-8	ND U	ND U	
	N-MeFOSAA	2355-31-9	ND U	ND U	
	N-MeFOSE	24448-09-7	ND U	ND U	
	PFOSA	754-91-6	ND U	ND U	
PFECAs	ADONA	919005-14-4	ND U	ND U	
	EVE Acid	69087-46-3	ND U	ND U	
	HFPO-DA	13252-13-6	4.73	2.71	
	Hydro-EVE Acid	773804-62-9	ND U	ND U	
	NFDHA	151772-58-6	ND U	ND U	
	PEPA	267239-61-2	2.42	1.54	
	PFECA-G	801212-59-9	ND U	ND U	
	PFMOAA	674-13-5	17.1	10.0	
	PFMOBA	863090-89-5	ND U	ND U	
	PFMOPrA	377-73-1	ND U	ND U	
	PFO2HxA	39492-88-1	6.56	4.37	
	PFO3OA	39492-89-2	ND U	ND U	
	PFO4DA	39492-90-5	ND U	ND U	
	PFO5DA	39492-91-6	ND U	ND U	
	PMPA	13140-29-9	8.33	6.29	
	R-EVE	2416366-22-6	3.00	4.04	
	PFESAs	11Cl-PF3OUds	763051-92-9	ND U	ND U
9Cl-PF3ONS		756426-58-1	ND U	ND U	
Hydrolyzed PSDA		2416366-19-1	2.12	0.859	
Nafion Byproduct 1 (PS Acid)		29311-67-9	ND U	ND U	
Nafion Byproduct 2 (Hydro-PS Acid)		749836-20-2	0.361 L	0.176 L	
NVHOS		1132933-86-8	ND U	ND U	
PFEESA		113507-82-7	ND U	ND U	
R-PSDA		2416366-18-0	3.88	3.11	
R-PSDCA		241636-21-5	ND U	ND U	

Detailed Results

Enthalpy Analytical

Job No.: 0524-775-1 PFAS by Isotope Dilution (non-potable water)
 Brunswick County Public Utilities - NC Northwest Water Plant Leland, N.C.

Details

Sample Name	051024-SO1		
Sampling Site			
Enthalpy ID	0524-775-001-1	Prep Batch	EU17425
Matrix	aqueous	Analyst	bmay
Sampling Date	2024-05-10 13:00	Instrument	Sauron
Received Date	2024-05-10	Sample Vol mL	291.23
Prep Date	2024-05-15 12:50	Extract Vol mL	0.4
AnalysisDate	2024-05-16 08:16	Split Factor	N/A
SampleType	Sample	Method Code	EU-047-NPW
Bottle ID	A		

	Compound	CAS	Injection File Name	Sample Concentration ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags	
Acids	PFPfA	422-64-0	F160524013	10.2	0.481	1.05				
	PFBA	375-22-4	S150524059	ND	0.218	0.549			U	
	PFPeA	2706-90-3	S150524059	5.12	0.157	0.549				
	PFFHxA	307-24-4	S150524059	6.13	0.184	0.549				
	PFFHpA	375-85-9	S150524059	2.32	0.192	0.549				
	PFOA	335-67-1	S150524059	4.99	0.126	0.549				
	PFNA	375-95-1	S150524059	0.465	0.124	0.549			J	
	PFDA	335-76-2	S150524059	0.167	0.157	0.549			J	
	PFUnDA	2058-94-8	S150524059	ND	0.124	0.549			U	
	PFDoDA	307-55-1	S150524059	ND	0.223	0.549			U	
	PFTTrDA	72629-94-8	S150524059	ND	0.182	0.549			U	
	PFTTeDA	376-06-7	S150524059	ND	0.209	0.549			U	
	PFFHxDA	67905-19-5	S240524026	ND	0.292	0.549			U	
	Sulfonates	PFBS	375-73-5	S240524026	4.34	0.292	0.549			
		PFPeS	2706-91-4	S240524026	0.708	0.113	0.518			
PFFHxS		355-46-4	S150524059	4.20	0.424	0.503				
PFFHpS		375-92-8	S150524059	0.227	0.266	0.523			L	
PFOS		1763-23-1	S150524059	10.5	0.290	0.509				
PFNS		68259-12-1	S150524059	ND	0.170	0.529			U	
PFDS		335-77-3	S150524059	ND	0.288	0.529			U	
4:2 FTS		757124-72-4	S150524059	ND	0.0712	0.515			U	
6:2 FTS		27619-97-2	S150524059	0.0719	0.259	0.523			L	
8:2 FTS		39108-34-4	S150524059	ND	0.123	0.526			U	
10:2 FTS	120226-60-0	S150524059	ND	0.421	0.549			U		
Sulfonamidos	FBSA	30334-69-1	S240524026	0.555	0.261	0.549			U	
	N-EtFOSA	4151-50-2	S150524059	ND	0.340	0.549			U	
	N-EtFOSAA	2991-50-6	S150524059	ND	0.223	0.549			U	
	N-EtFOSE	1691-99-2	S150524059	ND	0.841	2.47			U	
	N-MeFOSA	31506-32-8	S150524059	ND	0.227	0.549			U	
	N-MeFOSAA	2355-31-9	S150524059	ND	0.154	0.549			U	
	N-MeFOSE	24448-09-7	S150524059	ND	0.522	2.47			U	
	PFOSA	754-91-6	S150524059	ND	0.0771	0.549			U	
PFECAs	ADONA	919005-14-4	S150524059	ND	0.149	0.520			U	
	EVE Acid	69087-46-3	S150524059	ND	0.175	1.24			U	
	HFPO-DA	13252-13-6	S150524059	4.73	0.0582	0.549				
	Hydro-EVE Acid	773804-62-9	S150524059	ND	0.180	0.549			U	
	NFDHA	151772-58-6	S150524059	ND	0.116	0.549			U	
	PEPA	267239-61-2	S150524059	2.42	0.103	0.549				
	PFECA-G	801212-59-9	S150524059	ND	0.0733	0.549			U	
	PFMOAA	674-13-5	S150524059	17.1	0.278	0.549				
	PFMOBA	863090-89-5	S150524059	ND	0.922	1.24			U	
	PFMOPrA	377-73-1	S150524059	ND	0.196	0.549			U	
	PFO2HxA	39492-88-1	S150524059	6.56	0.177	0.549				
	PFO3OA	39492-89-2	S150524059	ND	0.252	0.549			U	
	PFO4DA	39492-90-5	S150524059	ND	0.434	2.75			U	
	PFO5DA	39492-91-6	S150524059	ND	0.440	2.75			U	
	PMPA	13140-29-9	S150524059	8.33	0.129	0.549				
R-EVE	2416366-22-6	S150524059	3.00	0.912	1.24					
PFESAs	11Cl-PF3OUds	763051-92-9	S150524059	ND	0.259	0.518			U	
	9Cl-PF3ONS	756426-58-1	S150524059	ND	0.352	0.512			U	
	Hydrolyzed PSDA	2416366-19-1	S150524059	2.12	0.366	0.549				
	Nafion Byproduct 1 (PS Acid)	29311-67-9	S150524059	ND	0.294	0.549			U	
	Nafion Byproduct 2 (Hydro-PS Acid)	749836-20-2	S150524059	0.361	0.455	0.549			L	
	NVHOS	1132933-86-8	S150524059	ND	0.0846	0.549			U	
	PFEESA	113507-82-7	S240524026	ND	0.165	0.549			U	
	R-PSDA	2416366-18-0	S150524059	3.88	2.42	2.42				
R-PSDCA	241636-21-5	S150524059	ND	0.232	0.549			U		
ES	MPFBA		S150524059				20-150%	95.8%		
	M5PFPeA		S150524059				20-150%	132.3%		
	M3PFBS		S240524026				20-150%	75.8%		
	M2-4:2 FTS		S150524059				20-150%	78.2%		
	M5PFFHxA		S150524059				20-150%	102.8%		
	M3HFPO-DA		S150524059				20-150%	119.8%		

Enthalpy Analytical

Job No.: 0524-775-1 PFAS by Isotope Dilution (non-potable water)
 Brunswick County Public Utilities - NC Northwest Water Plant Leland, N.C.

Details

Sample Name	051024-SO1		
Sampling Site			
Enthalpy ID	0524-775-001-1	Prep Batch	EU17425
Matrix	aqueous	Analyst	bmay
Sampling Date	2024-05-10 13:00	Instrument	Sauron
Received Date	2024-05-10	Sample Vol mL	291.23
Prep Date	2024-05-15 12:50	Extract Vol mL	0.4
AnalysisDate	2024-05-16 08:16	Split Factor	N/A
SampleType	Sample	Method Code	EU-047-NPW
Bottle ID	A		

Compound	CAS	Injection File Name	Sample Concentration ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags
M4PFHpA		S150524059				20-150%	98.5%	
M3PFHxS		S150524059				20-150%	103.4%	
M2-6:2 FTS		S150524059				20-150%	82.7%	
M8PFOA		S150524059				20-150%	94.1%	
M9PFNA		S150524059				20-150%	88.9%	
M8PFOS		S150524059				20-150%	90.4%	
M2-8:2 FTS		S150524059				20-150%	73.0%	
M8FOSA-I		S150524059				20-150%	80.4%	
M6PFDA		S150524059				20-150%	101.8%	
d3-N-MeFOSAA		S150524059				20-150%	57.9%	
d5-N-EtFOSAA		S150524059				20-150%	52.5%	
M7PFUdA		S150524059				20-150%	86.1%	
MPFDoA		S150524059				20-150%	89.8%	
M2PFTeDA		S150524059				20-150%	51.7%	
d3-N-MeFOSA		S150524059				10-200%	30.9%	
d5-N-EtFOSA		S150524059				10-200%	34.9%	
d7-N-MeFOSE		S150524059				10-200%	125.2%	
d9-N-EtFOSE		S150524059				10-200%	76.4%	
13C3-PFPnA		F160524013				20-150%	10.9%	Q

Enthalpy Analytical

Job No.: 0524-775-1 PFAS by Isotope Dilution (non-potable water)
 Brunswick County Public Utilities - NC Northwest Water Plant Leland, N.C.

Details

Sample Name	051024-EO1	Prep Batch	EU17425
Sampling Site		Analyst	bmay
Enthalpy ID	0524-775-002-1	Instrument	Sauron
Matrix	aqueous	Sample Vol mL	291.5
Sampling Date	2024-05-10 13:00	Extract Vol mL	0.4
Received Date	2024-05-10	Split Factor	N/A
Prep Date	2024-05-15 12:50	Method Code	EU-047-NPW
AnalysisDate	2024-05-16 08:39		
SampleType	Sample		
Bottle ID	A		

	Compound	CAS	Injection File Name	Sample Concentration ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags
Acids	PFPfA	422-64-0	F160524014	5.34	0.480	1.05			
	PFBA	375-22-4	S150524060	ND	0.218	0.549			U
	PFPeA	2706-90-3	S150524060	7.15	0.157	0.549			
	PFFHxA	307-24-4	S150524060	7.46	0.184	0.549			
	PFFHpA	375-85-9	S150524060	2.92	0.192	0.549			
	PFOA	335-67-1	S150524060	6.19	0.126	0.549			
	PFNA	375-95-1	S150524060	0.656	0.124	0.549			
	PFDA	335-76-2	S150524060	0.309	0.157	0.549			J
	PFUnDA	2058-94-8	S150524060	ND	0.124	0.549			U
	PFDoDA	307-55-1	S150524060	ND	0.223	0.549			U
	PFFTrDA	72629-94-8	S150524060	ND	0.182	0.549			U
	PFFTeDA	376-06-7	S150524060	ND	0.209	0.549			U
	PFFHxDA	67905-19-5	S240524027	ND	0.292	0.549			U
	Sulfonates	PFBS	375-73-5	S240524027	5.26	0.292	0.549		
PFPeS		2706-91-4	S240524027	0.838	0.113	0.517			
PFFHxS		355-46-4	S150524060	4.88	0.424	0.503			
PFFHpS		375-92-8	S150524060	0.238	0.266	0.523			L
PFOS		1763-23-1	S150524060	13.3	0.290	0.508			
PFNS		68259-12-1	S150524060	ND	0.170	0.529			U
PFDS		335-77-3	S150524060	ND	0.288	0.529			U
4:2 FTS		757124-72-4	S150524060	ND	0.0712	0.514			U
6:2 FTS		27619-97-2	S150524060	0.141	0.259	0.523			L
8:2 FTS		39108-34-4	S150524060	ND	0.123	0.526			U
10:2 FTS	120226-60-0	S150524060	ND	0.420	0.549			U	
Sulfonamidos	FBSA	30334-69-1	S240524027	0.596	0.261	0.549			U
	N-EtFOSA	4151-50-2	S150524060	ND	0.340	0.549			U
	N-EtFOSAA	2991-50-6	S150524060	ND	0.223	0.549			U
	N-EtFOSE	1691-99-2	S150524060	ND	0.840	2.47			U
	N-MeFOSA	31506-32-8	S150524060	ND	0.226	0.549			U
	N-MeFOSAA	2355-31-9	S150524060	ND	0.154	0.549			U
	N-MeFOSE	24448-09-7	S150524060	ND	0.521	2.47			U
	PFOSA	754-91-6	S150524060	ND	0.0770	0.549			U
PFECAs	ADONA	919005-14-4	S150524060	ND	0.149	0.520			U
	EVE Acid	69087-46-3	S150524060	ND	0.175	1.23			U
	HFPO-DA	13252-13-6	S150524060	2.71	0.0581	0.549			
	Hydro-EVE Acid	773804-62-9	S150524060	ND	0.180	0.549			U
	NFDHA	151772-58-6	S150524060	ND	0.115	0.549			U
	PEPA	267239-61-2	S150524060	1.54	0.103	0.549			
	PFECA-G	801212-59-9	S150524060	ND	0.0732	0.549			U
	PFMOAA	674-13-5	S150524060	10.0	0.278	0.549			
	PFMOBA	863090-89-5	S150524060	ND	0.921	1.23			U
	PFMOPrA	377-73-1	S150524060	ND	0.196	0.549			U
	PFO2HxA	39492-88-1	S150524060	4.37	0.177	0.549			
	PFO3OA	39492-89-2	S150524060	ND	0.252	0.549			U
	PFO4DA	39492-90-5	S150524060	ND	0.434	2.74			U
	PFO5DA	39492-91-6	S150524060	ND	0.439	2.74			U
PMPA	13140-29-9	S150524060	6.29	0.129	0.549				
R-EVE	2416366-22-6	S150524060	4.04	0.911	1.23				
PFESAs	11Cl-PF3OUds	763051-92-9	S150524060	ND	0.259	0.517			U
	9Cl-PF3ONS	756426-58-1	S150524060	ND	0.352	0.511			U
	Hydrolyzed PSDA	2416366-19-1	S150524060	0.859	0.365	0.549			
	Nafion Byproduct 1 (PS Acid)	29311-67-9	S150524060	ND	0.293	0.549			U
	Nafion Byproduct 2 (Hydro-PS Acid)	749836-20-2	S150524060	0.176	0.455	0.549			L
	NVHOS	1132933-86-8	S150524060	ND	0.0846	0.549			U
	PFEESA	113507-82-7	S240524027	ND	0.165	0.549			U
	R-PSDA	2416366-18-0	S150524060	3.11	2.42	2.42			
R-PSDCA	241636-21-5	S150524060	ND	0.232	0.549			U	
ES	MPFBA		S150524060				20-150%	72.2%	
	M5PFPeA		S150524060				20-150%	110.2%	
	M3PFBS		S240524027				20-150%	59.4%	
	M2-4:2 FTS		S150524060				20-150%	46.5%	
	M5PFHxA		S150524060				20-150%	93.7%	
	M3HFPO-DA		S150524060				20-150%	112.0%	

Enthalpy Analytical


Job No.: 0524-775-1 PFAS by Isotope Dilution (non-potable water)
 Brunswick County Public Utilities - NC Northwest Water Plant Leland, N.C.

Details

Sample Name	051024-EO1		
Sampling Site			
Enthalpy ID	0524-775-002-1	Prep Batch	EU17425
Matrix	aqueous	Analyst	bmay
Sampling Date	2024-05-10 13:00	Instrument	Sauron
Received Date	2024-05-10	Sample Vol mL	291.5
Prep Date	2024-05-15 12:50	Extract Vol mL	0.4
AnalysisDate	2024-05-16 08:39	Split Factor	N/A
SampleType	Sample	Method Code	EU-047-NPW
Bottle ID	A		

Compound	CAS	Injection File Name	Sample Concentration ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags
M4PFHpA		S150524060				20-150%	84.6%	
M3PFHxS		S150524060				20-150%	85.9%	
M2-6:2 FTS		S150524060				20-150%	56.2%	
M8PFOA		S150524060				20-150%	80.6%	
M9PFNA		S150524060				20-150%	73.5%	
M8PFOS		S150524060				20-150%	74.7%	
M2-8:2 FTS		S150524060				20-150%	54.6%	
M8FOSA-I		S150524060				20-150%	39.9%	
M6PFDA		S150524060				20-150%	76.5%	
d3-N-MeFOSAA		S150524060				20-150%	44.0%	
d5-N-EtFOSAA		S150524060				20-150%	36.4%	
M7PFUdA		S150524060				20-150%	64.3%	
MPFD _o A		S150524060				20-150%	55.0%	
M2PFTeDA		S150524060				20-150%	19.8%	Q
d3-N-MeFOSA		S150524060				10-200%	1.2%	Q
d5-N-EtFOSA		S150524060				10-200%	1.5%	Q
d7-N-MeFOSE		S150524060				10-200%	25.8%	
d9-N-EtFOSE		S150524060				10-200%	9.4%	Q
13C3-PFPnA		F160524014				20-150%	17.2%	Q

QC Data



Enthalpy Analytical

Job No.: 0524-775-1 PFAS by Isotope Dilution (non-potable water)
 Brunswick County Public Utilities - NC Northwest Water Plant Leland, N.C.

Details

Sample Name	MB_17425_PFAS	Prep Batch	EU17425
Sampling Site		Analyst	bmay
Enthalpy ID	MB_17425_PFAS	Instrument	Sauron
Matrix	aqueous	Sample Vol mL	250
Sampling Date		Extract Vol mL	0.4
Received Date		Split Factor	N/A
Prep Date	2024-05-15 12:50	Method Code	EU-047-NPW
AnalysisDate	2024-05-16 02:59		
SampleType	Blank		
Bottle ID	-		

	Compound	CAS	Injection File Name	Sample Concentration ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags	
Acids	PFPfA	422-64-0	F160524011	ND	0.560	1.22			U	
	PFBA	375-22-4	S150524045	ND	0.254	0.640			U	
	PFPeA	2706-90-3	S150524045	ND	0.183	0.640			U	
	PFFHx	307-24-4	S150524045	ND	0.214	0.640			U	
	PFFHpA	375-85-9	S150524045	ND	0.224	0.640			U	
	PFOA	335-67-1	S150524045	ND	0.146	0.640			U	
	PFNA	375-95-1	S150524045	ND	0.145	0.640			U	
	PFDA	335-76-2	S150524045	ND	0.183	0.640			U	
	PFUnDA	2058-94-8	S150524045	ND	0.145	0.640			U	
	PFDoDA	307-55-1	S150524045	ND	0.260	0.640			U	
	PFTrDA	72629-94-8	S150524045	ND	0.212	0.640			U	
	PFTeDA	376-06-7	S150524045	ND	0.244	0.640			U	
	PFFxDA	67905-19-5	S240524012	ND	0.340	0.640			U	
	Sulfonates	PFBS	375-73-5	S240524012	ND	0.340	0.640			U
		PFPeS	2706-91-4	S240524012	ND	0.131	0.603			U
		PFFxS	355-46-4	S150524045	ND	0.494	0.586			U
PFFHpS		375-92-8	S150524045	ND	0.310	0.610			U	
PFOS		1763-23-1	S150524045	ND	0.338	0.593			U	
PFNS		68259-12-1	S150524045	ND	0.199	0.616			U	
PFDS		335-77-3	S150524045	ND	0.336	0.616			U	
4:2 FTS		757124-72-4	S150524045	ND	0.0830	0.600			U	
6:2 FTS		27619-97-2	S150524045	ND	0.302	0.610			U	
8:2 FTS		39108-34-4	S150524045	ND	0.143	0.613			U	
10:2 FTS	120226-60-0	S150524045	ND	0.490	0.640			U		
Sulfonamidos	FBSA	30334-69-1	S240524012	ND	0.304	0.640			U	
	N-EtFOSA	4151-50-2	S150524045	ND	0.396	0.640			U	
	N-EtFOSAA	2991-50-6	S150524045	ND	0.260	0.640			U	
	N-EtFOSE	1691-99-2	S150524045	ND	0.980	2.88			U	
	N-MeFOSA	31506-32-8	S150524045	ND	0.264	0.640			U	
	N-MeFOSAA	2355-31-9	S150524045	ND	0.180	0.640			U	
	N-MeFOSE	24448-09-7	S150524045	ND	0.608	2.88			U	
	PFOSA	754-91-6	S150524045	ND	0.0898	0.640			U	
PFECAs	ADONA	919005-14-4	S150524045	ND	0.173	0.606			U	
	EVE Acid	69087-46-3	S150524045	ND	0.204	1.44			U	
	HFPO-DA	13252-13-6	S150524045	ND	0.0678	0.640			U	
	Hydro-EVE Acid	773804-62-9	S150524045	ND	0.210	0.640			U	
	NFDHA	151772-58-6	S150524045	ND	0.135	0.640			U	
	PEPA	267239-61-2	S150524045	ND	0.120	0.640			U	
	PFECA-G	801212-59-9	S150524045	ND	0.0854	0.640			U	
	PFMOAA	674-13-5	S150524045	ND	0.324	0.640			U	
	PFMOBA	863090-89-5	S150524045	ND	1.07	1.44			U	
	PFMOPrA	377-73-1	S150524045	ND	0.228	0.640			U	
	PFO2HxA	39492-88-1	S150524045	ND	0.206	0.640			U	
	PFO3OA	39492-89-2	S150524045	ND	0.294	0.640			U	
	PFO4DA	39492-90-5	S150524045	ND	0.506	3.20			U	
	PFO5DA	39492-91-6	S150524045	ND	0.512	3.20			U	
	PMPA	13140-29-9	S150524045	ND	0.151	0.640			U	
	R-EVE	2416366-22-6	S150524045	ND	1.06	1.44			U	
PFESAs	11Cl-PF3OUds	763051-92-9	S150524045	ND	0.302	0.603			U	
	9Cl-PF3ONS	756426-58-1	S150524045	ND	0.410	0.596			U	
	Hydrolyzed PSDA	2416366-19-1	S150524045	ND	0.426	0.640			U	
	Nafion Byproduct 1 (PS Acid)	29311-67-9	S150524045	ND	0.342	0.640			U	
	Nafion Byproduct 2 (Hydro-PS Acid)	749836-20-2	S150524045	ND	0.530	0.640			U	
	NVHOS	1132933-86-8	S150524045	ND	0.0986	0.640			U	
	PFEESA	113507-82-7	S240524012	ND	0.192	0.640			U	
	R-PSDA	2416366-18-0	S150524045	ND	2.82	2.82			U	
R-PSDCA	2416366-21-5	S150524045	ND	0.270	0.640			U		
ES	MPFBA		S150524045				20-150%	86.9%		
	M5PFPeA		S150524045				20-150%	91.8%		
	M3PFBS		S240524012				20-150%	42.2%		
	M2-4:2 FTS		S150524045				20-150%	39.5%		
	M5PFFHxA		S150524045				20-150%	87.8%		
	M3HFPO-DA		S150524045				20-150%	109.8%		

Enthalpy Analytical

Job No.: 0524-775-1 PFAS by Isotope Dilution (non-potable water)
 Brunswick County Public Utilities - NC Northwest Water Plant Leland, N.C.

Details

Sample Name	MB_17425_PFAS		
Sampling Site			
Enthalpy ID	MB_17425_PFAS	Prep Batch	EU17425
Matrix	aqueous	Analyst	bmay
Sampling Date		Instrument	Sauron
Received Date		Sample Vol mL	250
Prep Date	2024-05-15 12:50	Extract Vol mL	0.4
AnalysisDate	2024-05-16 02:59	Split Factor	N/A
SampleType	Blank	Method Code	EU-047-NPW
Bottle ID	-		

Compound	CAS	Injection File Name	Sample Concentration ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags
M4PFHpA		S150524045				20-150%	85.0%	
M3PFHxS		S150524045				20-150%	80.6%	
M2-6:2 FTS		S150524045				20-150%	58.4%	
M8PFOA		S150524045				20-150%	87.6%	
M9PFNA		S150524045				20-150%	75.8%	
M8PFOS		S150524045				20-150%	76.7%	
M2-8:2 FTS		S150524045				20-150%	56.4%	
M8FOSA-I		S150524045				20-150%	50.4%	
M6PFDA		S150524045				20-150%	91.8%	
d3-N-MeFOSAA		S150524045				20-150%	44.4%	
d5-N-EtFOSAA		S150524045				20-150%	39.5%	
M7PFUDa		S150524045				20-150%	81.2%	
MPFDa		S150524045				20-150%	94.3%	
M2PFTeDA		S150524045				20-150%	51.2%	
d3-N-MeFOSA		S150524045				10-200%	4.5%	Q
d5-N-EtFOSA		S150524045				10-200%	5.9%	Q
d7-N-MeFOSE		S150524045				10-200%	73.1%	
d9-N-EtFOSE		S150524045				10-200%	44.8%	
13C3-PFPRA		F160524011				20-150%	31.3%	

Enthalpy Analytical

Job No.: 0524-775-1 PFAS by Isotope Dilution (non-potable water)
 Brunswick County Public Utilities - NC Northwest Water Plant Leland, N.C.

Enthalpy ID	OPR_17425_PFAS	Prep Batch	EU17425	Sample Vol (mL)	250
Sample Name	OPR_17425_PFAS	Prep Date	2024-05-15 12:50	Extract Vol (mL)	0.4
Matrix	aqueous	Analysis Date	2024-05-16 03:21	Split Factor	N/A
Sampling Date		Analyst	bmay	Method Code	EU-047-NPW
Received Date		Instrument	Sauron	Sample Type	Control
		Bottle ID	-		

	Compound	CAS	InjFileName	Formatted Result ng/L	LOD ng/L	LOQ ng/L	Recovery Limits	Recovery	Flags
Acids	PFBA	375-22-4	S150524046	20.2	0.254	0.640	69.1-122%	101.2%	
	PFPeA	2706-90-3	S150524046	20.4	0.183	0.640	68.5-121%	102.0%	
	PFHxA	307-24-4	S150524046	22.3	0.214	0.640	68.3-121%	111.7%	
	PFHpA	375-85-9	S150524046	20.6	0.224	0.640	62.4-128%	103.2%	
	PFOA	335-67-1	S150524046	21.2	0.146	0.640	66.3-124%	106.2%	
	PFNA	375-95-1	S150524046	21.2	0.145	0.640	70.5-120%	105.8%	
	PFDA	335-76-2	S150524046	21.0	0.183	0.640	68.9-117%	104.8%	
	PFUnDA	2058-94-8	S150524046	21.9	0.145	0.640	58.1-132%	109.4%	
	PFDoDA	307-55-1	S150524046	21.2	0.260	0.640	52.1-140%	105.8%	
	PFTTrDA	72629-94-8	S150524046	51.2	0.212	0.640	65-144%	256.1%	Q
	PFTeDA	376-06-7	S150524046	22.8	0.244	0.640	36.1-161%	113.9%	
	Sulfonates	PFBS	375-73-5	S240524013	21.8	0.340	0.640	67.5-111.6%	122.9%
PFPeS		2706-91-4	S240524013	20.5	0.131	0.603	51.8-142%	108.7%	
PFHxS		355-46-4	S150524046	20.5	0.494	0.586	59.6-128%	112.4%	
PFHpS		375-92-8	S150524046	21.1	0.310	0.610	46.9-157%	110.7%	
PFOS		1763-23-1	S150524046	22.5	0.338	0.593	59.2-132%	121.4%	
PFNS		68259-12-1	S150524046	22.3	0.199	0.616	53.9-133%	115.7%	
PFDS		335-77-3	S150524046	20.7	0.336	0.616	38.1-142%	107.5%	
4:2 FTS		757124-72-4	S150524046	20.7	0.0830	0.600	61.9-131%	110.5%	
6:2 FTS		27619-97-2	S150524046	21.0	0.302	0.610	62.3-129%	110.4%	
8:2 FTS		39108-34-4	S150524046	22.0	0.143	0.613	37.5-159%	114.8%	
Sulfonamidos	N-EtFOSAA	2991-50-6	S150524046	20.9	0.260	0.640	61.5-133%	104.6%	
	N-MeFOSAA	2355-31-9	S150524046	21.3	0.180	0.640	57.3-138%	106.6%	
	PFOSA	754-91-6	S150524046	22.2	0.0898	0.640	49.1-143%	111.2%	
PFECAs	HFPO-DA	13252-13-6	S150524046	19.8	0.0678	0.640	57.2-130%	99.0%	
ES	MPFBA		S150524046				20-150%	84.4%	
	M5PFPeA		S150524046				20-150%	94.8%	
	M3PFBS		S240524013				20-150%	38.8%	
	M2-4:2 FTS		S150524046				20-150%	43.2%	
	M5PFHxA		S150524046				20-150%	84.0%	
	M3HFPO-DA		S150524046				20-150%	114.2%	
	M4PFHpA		S150524046				20-150%	83.0%	
	M3PFHxS		S150524046				20-150%	88.8%	
	M2-6:2 FTS		S150524046				20-150%	66.4%	
	M8PFOA		S150524046				20-150%	87.1%	
	M9PFNA		S150524046				20-150%	80.2%	
	M8PFOS		S150524046				20-150%	87.0%	
	M2-8:2 FTS		S150524046				20-150%	62.8%	
	M8FOSA-I		S150524046				20-150%	61.7%	
	M6PFDA		S150524046				20-150%	88.6%	
	d3-N-MeFOSAA		S150524046				20-150%	51.3%	
	d5-N-EtFOSAA		S150524046				20-150%	45.9%	
	M7PFUdA		S150524046				20-150%	79.2%	
	MPFDcA		S150524046				20-150%	91.1%	
M2PFTeDA		S150524046				20-150%	39.1%		

Narrative Summary



Enthalpy Analytical Narrative Summary

Company	Brunswick County Public Utilities - NC
Job No.	0524-775-1
Client ID.	Northwest Water Plant Site: Leland, N.C.

1. Custody

Cherith McCullagh received the samples at 9.1 °C after being relinquished by Brunswick County Public Utilities - NC.

The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC.

Table 1 - Sample Inventory

EU Lab Sample ID	Client Sample ID	Matrix	Received
0524-775-001-1	051024-SO1	aqueous	2024-05-10
0524-775-002-1	051024-EO1	aqueous	2024-05-10

2. Methods and Analytes

A list of analytes of interest and corresponding methods of analysis is shown in Table 3. Abbreviations are defined in the listed Appendices.

Table 3 - Methods and Analytes

EU Method	Analytes	Cleanup Method
EU-047	Custom List	ENVI-Carb

3. Analysis

The samples were analyzed using Waters Acquity UPLC equipped with Xevo TQ MS (LC/MS/MS "Sauron" and "Fili").

The samples were analyzed in more than one analytical sequence in order to include all of the analytes of interest and to meet method acceptance criteria.

4. Calibration

In the initial calibration, the analytes exhibited R^2 of ≥ 0.99 . The reported analytes in the calibration standards, continuing calibration (concal) and Initial Calibration Verification (ICV) met the accuracy criterion for native analytes, except as noted below.

NVHOS and R-PSDCA exceeded method control limits in the concals. These analytes were not detected >LOQ; therefore, the data is reportable without adverse impact.

Enthalpy Analytical Narrative Summary

Company	Brunswick County Public Utilities - NC
Job No.	0524-775-1
Client ID.	Northwest Water Plant Site: Leland, N.C.

5. QC Notes

Ongoing Precision Recovery (OPR) control limits have not been established for some analytes of interest.

Except where noted below, the QC sample analyses passed all method criteria.

- OPR_17425_PFAS (PFTrDA) exceeded method recovery limit. This analyte was not detected >LOQ in the samples. The data is accepted with no adverse impact.
- OPR_17425_PFAS (PFBS) exceeded method recovery limit but met QSM 5.4 criteria for reporting without adverse impact.

Select surrogates (ES) fell outside method recovery criteria in the method blank (MB). Target analytes are quantified based on their ratio to their labeled standard analogs. When detected at a signal-to-noise above 10:1 the ES peak area is used to quantify its respective target analyte using accepted isotope dilution principles. The data is reported without adverse impact.

PFAS by Isotope Dilution (non-potable water) samples were extracted within 28 days, and extracts analyzed within 28 days.

6. Reporting Notes

The results presented in this report are representative of the samples as provided to the laboratory.

This report provides all results including detections below LOD following client instruction.

Some labeled extraction standards (ES) in the sample analyses recovered below the control limits for ES recovery, as denoted by the "Q" qualifier. The target analytes are quantified based on their ratio to their labeled standard analogs. As a result, low or high labeled standard recovery do not cause any change to ratios or contribute any additional error in the measurement of the target analytes. When detected at a signal-to-noise above 10:1 the ES peak area is used to quantify its respective target analyte using accepted isotope dilution principles. The data is reported without adverse impact.

These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, LLC in Wilmington NC is accredited by the Louisiana Department of Environmental Quality to the 2009 TNI Standard under certificate number 05075.

General Reporting Notes – Data Qualifiers

The following are general reporting notes that are applicable to all Enthalpy Analytical, LLC - Wilmington, NC data reports, unless specifically noted otherwise.

General Data Qualifiers

- Ac - Alternate calculation flag indicates the es recovery was calculated using the opening concal when either of the following situations is encountered in the data processing software: the ES recovery is over 400% or the JS is not detected.
- B – The analyte was found in the method blank, at a concentration that was at least 10% of the amount in the sample.
- Cxx – Two or more congeners co-elute. In EDDs, C denotes the lowest IUPAC congener in a co-elution group and additional co-eluters for the group ('xx') are shown with the number of the lowest IUPAC co-eluter.
- E – The reported concentration exceeds the calibration range (upper point of the calibration curve). For HRMS data, this condition does not imply additional measurement uncertainty. For LC-MS/MS data, these values should be considered as having measurement uncertainty higher than values within the calibration range.
- EDL – Estimated Detection Level: The EDL is unique to isotope dilution methods and reflects the conditions of analysis at the time of analysis, including the equipment used. Where the MDL is a static value, the EDL is a dynamic value.
- EMPC – Estimated Maximum Possible Concentration: EMPC is specific to Dioxin/Furan tests to indicate the determined ion-abundance ratio was outside the allowed theoretical range (usually due to being near the detection limit, although it can very rarely be caused by a co-eluting interference). The EMPC concentration is adjusted to reflect the value at the theoretical ion-abundance ratio.
- I/IR – The ion ratio between the primary and secondary ions was observed to be outside the method criteria. The analyte concentration may be inaccurate due to interference.
- J – The analyte has a concentration below the minimum calibration level (LOQ value) but greater than the LOD. These values should be considered as having measurement uncertainty higher than values within the calibration range
- L - For reports containing PFAS analytes only, this flag indicates that an analyte has a concentration below the Minimum Detection Limit (MDL) . The reported concentration is not recommended for regulatory use as the analyte signal may have a signal-to-noise ratio less than the criteria deemed necessary to be considered a detected analyte.
- LOD – Limit of Detection: For reports conforming to the DOD ELAP QSM, this is the QSM-defined LOD. For reports conforming to TNI requirements (but not DOD ELAP QSM requirements), this value is the minimum detection limit (MDL). The LOD is adjusted for sample weight or volume.

General Reporting Notes – Data Qualifiers

- LOQ – Limit of Quantitation: For reports conforming to the DOD ELAP QSM, this is the QSM-defined LOQ. For reports conforming to TNI requirements (but not DOD ELAP QSM requirements), this value is the reporting limit (RL). The LOQ is adjusted for sample weight or volume.
- <LOD() – Analyte was not found at a concentration high enough to be reported as detected. It is reported as less than the LOD, and the LOD is given in the parentheses.
- <LOQ() – Analyte was not found at a concentration high enough to be reported as above the QSM-defined LOQ or TNI defined Reporting Limit. It is reported as less than the LOQ, and the LOQ is given in the parentheses.
- ND – Indicates a non-detect.
- NR – Indicates a value that is not reportable due to issues observed in sample preparation or analysis.
- PR – The associated congener(s) is(are) poorly resolved.
- QI – Indicates the presence of a quantitative interference.
- RL – Reporting Limit. Lowest reportable value. The level is higher than the MDL.
- SI – Denotes “Single Ion Mode” and is utilized for PCBs where the secondary ion trace has a significantly elevated noise level due to background PFK. Responses for such peaks are calculated using an EMPC approach based solely on the primary ion area(s) and may be considered estimates.
- U – The analyte was not detected.
- V / Q – The labeled standard recovery is not within method control limits.
- X – Indicates the result is from re-injection/repeat/second-column analysis.

Lab Identifiers/ Data Attributes

- AR – Indicates use of the archived portion of the sample extract.
- CU – Indicates a sample that required additional clean-up prior to HRMS injection/processing.
- D – Dilution Data. Result was obtained from the analysis of a dilution. The number that follows the “D” indicates the dilution factor.
- DE – Indicates a dilution performed with the addition of ES (Extraction Standard) solution.
- DUP – Designation for a duplicate sample.
- MS – Designation for a matrix spike.
- MSD – Designation for a matrix spike duplicate.



General Reporting Notes – Data Qualifiers

- R – Indicates a re-extraction of the sample.
- RJ – Indicates a reinjection of the sample extract.
- S – Indicates a sample split. The number that follows the “S” indicates the split factor.
- SAT – Indicates an analyte saturated the detector.

PFAS Compound Acronym List		
Acronym	CAS #	Compound Name
Target Analytes		
* Analyte is not accredited for SOP EU047 # Method 537.1 Accredited ^ Method 533 Accredited		
^ PFBA	375-22-4	Perfluorobutanoic Acid
^ PFPeA	2706-90-3	Perfluoropentanoic Acid
#, ^ PFHxA	307-24-4	Perfluorohexanoic Acid
#, ^ PFHpA	375-85-9	Perfluoroheptanoic Acid
#, ^ PFOA	335-67-1	Perfluorooctanoic Acid
#, ^ PFNA	375-95-1	Perfluorononanoic Acid
#, ^ PFDA	335-76-2	Perfluorodecanoic acid
#, ^ PFUnA (PFUnDA)	2058-94-8	Perfluoroundecanoic acid
#, ^ PFDoA (PFDoDA)	307-55-1	Perfluorododecanoic acid
# PFTrDA (PFTriA)	72629-94-8	Perfluorotridecanoic acid
# PFTeDA (PFTA)	376-06-7	Perfluorotetradecanoic acid
#, ^ PFBS	375-73-5	Perfluorobutane sulfonic acid
^ PFPeS	2706-91-4	Perfluoropentane sulfonic acid
#, ^ PFHxS	355-46-4	Perfluorohexane sulfonic acid
^ PFHpS	375-92-8	Perfluoroheptane sulfonic acid
#, ^ PFOS	1763-23-1	Perfluorooctane sulfonic acid
PFNS	68259-12-1	Perfluorononane sulfonic acid
PFDS	335-77-3	Perfluorodecane sulfonic acid
^ 4:2 FTS	757124-72-4	4:2 fluorotelomer sulfonic acid
^ 6:2 FTS	27619-97-2	6:2 fluorotelomer sulfonic acid
^ 8:2 FTS	39108-34-4	8:2 fluorotelomer sulfonic acid
PFOSA (FOSA)	754-91-6	Perfluorooctane sulfonamide
# N-MeFOSAA	2355-31-9	N-methyl perfluorooctane sulfonamido acetic acid
# N-EtFOSAA	2991-50-6	N-ethyl perfluorooctane sulfonamido acetic acid
#, ^ HFPO-DA	13252-13-6	2,3,3,3-Tetrafluoro-2-(1,1,2,2,3,3,3-heptafluoropropoxy)-propanoic acid (Gen-X)
*, #, ^ 11Cl-PF3OUdS	763051-92-9	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid
*, #, ^ 9Cl-PF3ONS	756426-58-1	9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid
*, #, ^ ADONA	919005-14-4	4,8-dioxa-3H-perfluorononanoic acid
*, ^ PFEESA	113507-82-7	Perfluoro(2-ethoxyethane)sulphonic acid
*, ^ PFMOBA (PFMBA)	863090-89-5	Perfluoro-4-methoxybutanic acid
*, ^ NFDHA	151772-58-6	Nonafluoro-3,6-dioxaheptanoic acid
*, ^ PFMOPrA (PFMPA)	377-73-1	Perfluoro-3-methoxypropanoic acid
* PFMOAA	674-13-5	Perfluoro-2-methoxyacetic acid
* PFO2HxA	39492-88-1	Perfluoro (3,5-dioxaheptanoic) acid
* PFO3OA	39492-89-2	Perfluoro (3,5,7-trioxaoctanoic) acid
* PFO4DA	39492-90-5	Perfluoro (3,5,7,9-tetraoxadecanoic) acid
* PFO5DA	39492-91-6	Perfluoro(3,5,7,9,11-pentaoxadodecanoic) acid
* Nafion Byproduct 1	29311-67-9	Nafion Byproduct 1
* Nafion Byproduct 2	749836-20-2	Nafion Byproduct 2
* PEPA	267239-61-2	Perfluoro-2-ethoxypropanoic acid
* PMPA	13140-29-9	Perfluoro-2-methoxypropanoic acid
* 10:2 FTS	120226-60-0	Fluorotelomer sulfonate 10:2
* N-EtFOSA	4151-50-2	N-ethylperfluoro-1-octanesulfonamide
* N-EtFOSE	1691-99-2	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol
* N-MeFOSA	31506-32-8	N-methylperfluoro-1-octanesulfonamide
* N-MeFOSE	24448-09-7	2-(N-methylperfluoro-1-octanesulfonamido)-ethanol
* PFECA-G	801212-59-9	4-(Heptafluoroisopropoxy)hexafluorobutanoic acid
* PFHxDA	67905-19-5	Perfluorohexadecanoic acid
* R-PSDA (Nafion Byproduct 4)	2416366-18-0	Perfluoro-4-(2-sulfoethoxy)pentanoic acid



PFAS Compound Acronym List		
Acronym	CAS #	Compound Name
Target Analytes		
* Analyte is not accredited for SOP EU047 # Method 537.1 Accredited ^ Method 533 Accredited		
* Hydrolyzed PSDA (Nafion Byproduct 5)	2416366-19-1	2-fluoro-2-[1,1,2,3,3,3-hexafluoro-2-(1,1,2,2-tetrafluoro-2-sulfoethoxy)propoxy]-acetic acid
* R-PSDCA (Nafion Byproduct 6)	2416366-21-5	1,1,2,2-tetrafluoro-2-[1,2,2,3,3-pentafluoro-1-(trifluoromethyl)propoxy] ethanesulfonic acid
* EVE Acid	69087-46-3	2,2,3,3-tetrafluoro-3-({1,1,1,2,3,3-hexafluoro-3-[(1,2,2-trifluoroethenyl)oxy]propan-2-yl}oxy)propionic acid
* FBSA	30334-69-1	Perfluorobutylsulfonamide
* Hydro-EVE Acid	773804-62-9	2,2,3,3-Tetrafluoro-3-{{1,1,1,2,3,3-hexafluoro-3-(1,2,2,2-tetrafluoroethoxy)propan-2-yl}oxy}propanoic acid
* R-EVE Acid	2416366-22-6	4-(2-carboxy-1,1,2,2-tetrafluoroethoxy)-2,2,3,3,4,5,5,5-octafluoro-pentanoic acid
* NVHOS	1132933-86-8	Perfluoroethoxysulfonic acid
* PFDoS	79780-39-5	Perfluorododecane sulfonic acid
* PFOA	16517-11-6	Perfluorooctadecanoic acid
* 3:3 FTCA	356-02-5	2H,2H,3H,3H-Perfluorohexanoic acid
* 5:3 FTCA	914637-49-3	2H,2H,3H,3H-Perfluorooctanoic acid
* 7:3 FTCA	812-70-4	2H,2H,3H,3H-Perfluorodecanoic acid
* N-AP-FHxSA	50598-28-2	N-(3-(Dimethylamino)propyl)tridecafluoro-1-hexanesulfonamide
* N-CMAmP-6:2 FOSA	34455-29-3	N-(Carboxymethyl)-N,N-dimethyl-3-(((3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)sulfonyl)amino)1-propanaminium

Sample Custody



0524-775



Chain of Custody Record

Enthalpy Ultratrace Job#: _____ COC Page 1 of 1

Special Handling:

- Standard Turn Around Time
 - Rush Turn Around Time -- Date Needed _____
 - All Fast TATs Subject to Approval by Enthalpy Analytical, Inc.
 - All Samples Disposed of After 6 months Unless Otherwise Instructed.
- Enthalpy Analytical-Wilmington, NC has added enhancements to standard methods to improve accuracy, precision and permit an assessment of laboratory performance in the context of your specific data needs. For more information email Cindy.James@enthalpy.com.

Client Name: BRUNSWICK COUNTY UTILITIES
 Project Manager: GLENN WALKER
 Report To: SAME

Project Number: _____
 Site Name: NORTHWEST WATER PLANT
 Location: LELAND N.C.

PO#: _____
 Telephone#: _____
 Email: _____

This Chain of Custody is applicable to Non-Air samples. Standard TAT differ per analysis and are provided by request.

Client Special Instructions:
 Matrix: GW-Groundwater, WW-Wastewater, NW-Non-Potable Water, DW-Drinking Water, S-Soil, SL-Sludge, BT-Biological Tissue, O-Other
 Type: G=Grab C=Composite Q=Quality Control

Sample ID	Date	Time	Sample Volume	Type	Matrix	Sample Containers				Analyses:						Notes:			
						# of Bottles	# of Jars	# of Bags	# Other	Method 1613	Method 8290	Method 1668A/B/C PCBs	PFAS by LC/MS/MS	PAHs by HRGC/HRMS	Sample on Hold		Method 23	ALL PFAS	
051024-SO1	5/10/2024	1300PM	250 ml	G	NW	2											X	Please Add PFPrA and	
051024-EO1	5/10/2024	1300PM	250 ml	G	DW	2												X	PFHpA To The Testing.
																			Mark Hager Knows About
																			This If you Have Questions

Relinquished By:	Date:	Received By:	Date:	Time:	Sample Temperature Upon Receipt:
PHIL MCCULLOCH	5/10/2024	<i>C. McCullough</i>	5-10-24	14:52	<input checked="" type="checkbox"/> Iced <input type="checkbox"/> Ambient °C <u>9.1</u>
					<input type="checkbox"/> Iced <input type="checkbox"/> Ambient °C _____
					<input type="checkbox"/> Iced <input type="checkbox"/> Ambient °C _____

JOB ID: 0524-775 Date / Time: 5/10/24 14:52 Initials: C.A.M
 OR
 Client: Brunswick Co. Utilities

Cooler 1 of 1

Temp °C: 9.1 Thermometer ID: T16

Received via	<i>Check one</i>		<i>Check one</i>			
	On ice:	<input checked="" type="checkbox"/>	in a Box:	<input type="checkbox"/>	Cooler seals:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Melted ice:	<input type="checkbox"/>	in a Cooler:	<input checked="" type="checkbox"/>	Sample seals:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
	Ambient:	<input type="checkbox"/>	Cooler in Box:	<input type="checkbox"/>	Good condition:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
	FedEx	<input type="checkbox"/>				
UPS	<input type="checkbox"/>					
DHL	<input type="checkbox"/>					
USPS	<input type="checkbox"/>					
Courier	<input checked="" type="checkbox"/>					
Other	<input type="checkbox"/>					

Comment:

Cooler of

Temp °C: Thermometer ID:

Received via	<i>Check one</i>		<i>Check one</i>			
	On ice:	<input type="checkbox"/>	in a Box:	<input type="checkbox"/>	Cooler seals:	<input type="checkbox"/> Yes <input type="checkbox"/> No
	Melted ice:	<input type="checkbox"/>	in a Cooler:	<input type="checkbox"/>	Sample seals:	<input type="checkbox"/> Yes <input type="checkbox"/> No
	Ambient:	<input type="checkbox"/>	Cooler in Box:	<input type="checkbox"/>	Good condition:	<input type="checkbox"/> Yes <input type="checkbox"/> No
	FedEx	<input type="checkbox"/>				
UPS	<input type="checkbox"/>					
DHL	<input type="checkbox"/>					
USPS	<input type="checkbox"/>					
Courier	<input type="checkbox"/>					
Other	<input type="checkbox"/>					

Comment:

Cooler of

Temp °C: Thermometer ID:

Received via	<i>Check one</i>		<i>Check one</i>			
	On ice:	<input type="checkbox"/>	in a Box:	<input type="checkbox"/>	Cooler seals:	<input type="checkbox"/> Yes <input type="checkbox"/> No
	Melted ice:	<input type="checkbox"/>	in a Cooler:	<input type="checkbox"/>	Sample seals:	<input type="checkbox"/> Yes <input type="checkbox"/> No
	Ambient:	<input type="checkbox"/>	Cooler in Box:	<input type="checkbox"/>	Good condition:	<input type="checkbox"/> Yes <input type="checkbox"/> No
	FedEx	<input type="checkbox"/>				
UPS	<input type="checkbox"/>					
DHL	<input type="checkbox"/>					
USPS	<input type="checkbox"/>					
Courier	<input type="checkbox"/>					
Other	<input type="checkbox"/>					

Comment:

**This Is The Last Page
Of This Report.**