



January 14, 2026

Chris Giesting  
Brunswick County Public Utilities  
PO BOX 249  
Bolivia, NC 28422

RE: Project: 1,4-Dx-522 (Weekly)  
Pace Project No.: 35007523

Dear Chris Giesting:

Enclosed are the analytical results for sample(s) received by the laboratory on January 09, 2026. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Ormond Beach

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Todd Baumgartner  
todd.baumgartner@pacelabs.com  
(386)672-5668  
Project Manager

Enclosures

cc: Billy Benton, Brunswick County Public Utilities



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### CERTIFICATIONS

Project: 1,4-Dx-522 (Weekly)

Pace Project No.: 35007523

**Pace Analytical Services Ormond Beach**

8 East Tower Circle, Ormond Beach, FL 32174

Alaska DEC- CS/UST/LUST

Alabama Certification #: 41320

California Certification# 3096

Colorado Certification: FL NELAC Reciprocity

Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

DoD-ANAB #:ADE-3199

Florida Certification #: E83079

Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity

Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383

Kentucky Certification #: 90050

Louisiana Certification #: FL NELAC Reciprocity

Louisiana Environmental Certificate #: 05007

Maine Certification #: FL01264

Maryland Certification: #346

Massachusetts Certification #: M-FL1264

Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236

Montana Certification #: Cert 0074

Nebraska Certification: NE-OS-28-14

Nevada Certification: FL NELAC Reciprocity

New Hampshire Certification #: 2958

New Jersey Certification #: FL022

New York Certification #: 11608

North Carolina Environmental Certificate #: 667

North Carolina Certification #: 12710

North Dakota Certification #: R-216

Ohio DEP 87780

Oklahoma Certification #: D9947

Pennsylvania Certification #: 68-00547

Puerto Rico Certification #: FL01264

South Carolina Certification: #96042001

Tennessee Certification #: TN02974

Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Utah FL NELAC Reciprocity

Utah

Virginia Environmental Certification #: 460165

Washington Certification #: C955

West Virginia Certification #: 9962C

Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE SUMMARY

Project: 1,4-Dx-522 (Weekly)  
Pace Project No.: 35007523

Lab ID	Sample ID	Matrix	Date Collected	Date Received
35007523001	010826-S01	Water	01/08/26 12:55	01/09/26 11:10
35007523002	010826-E01	Drinking Water	01/08/26 12:55	01/09/26 11:10

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### SAMPLE ANALYTE COUNT

Project: 1,4-Dx-522 (Weekly)  
Pace Project No.: 35007523

---

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
35007523001	010826-S01	EPA 522	TSW	2	PASI-O
35007523002	010826-E01	EPA 522	TSW	2	PASI-O

---

PASI-O = Pace Analytical Services - Ormond Beach

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: 1,4-Dx-522 (Weekly)

Pace Project No.: 35007523

<b>Sample: 010826-S01</b>									
<b>Lab ID: 35007523001</b>									
Collected: 01/08/26 12:55 Received: 01/09/26 11:10 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>522 MSS 1,4 Dioxane</b>									
Analytical Method: EPA 522 Preparation Method: EPA 522									
Pace Analytical Services - Ormond Beach									
1,4-Dioxane (p-Dioxane)	<b>0.26</b>	ug/L	0.20	0.12	1	01/13/26 18:20	01/14/26 12:00	123-91-1	
<b>Surrogates</b>									
1,4-Dioxane-d8 (S)	97	%	70-130		1	01/13/26 18:20	01/14/26 12:00		

<b>Sample: 010826-E01</b>									
<b>Lab ID: 35007523002</b>									
Collected: 01/08/26 12:55 Received: 01/09/26 11:10 Matrix: Drinking Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>522 MSS 1,4 Dioxane</b>									
Analytical Method: EPA 522 Preparation Method: EPA 522									
Pace Analytical Services - Ormond Beach									
1,4-Dioxane (p-Dioxane)	<b>0.24</b>	ug/L	0.20	0.12	1	01/13/26 18:20	01/14/26 12:18	123-91-1	
<b>Surrogates</b>									
1,4-Dioxane-d8 (S)	89	%	70-130		1	01/13/26 18:20	01/14/26 12:18		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



**QUALITY CONTROL DATA**

Project: 1,4-Dx-522 (Weekly)

Pace Project No.: 35007523

QC Batch:	1158722	Analysis Method:	EPA 522
QC Batch Method:	EPA 522	Analysis Description:	522 MSS 1,4 Dioxane
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35007523001, 35007523002

METHOD BLANK: 6347446 Matrix: Water

Associated Lab Samples: 35007523001, 35007523002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	0.12 U	0.20	0.12	01/14/26 09:43	
1,4-Dioxane-d8 (S)	%	101	70-130		01/14/26 09:43	

LABORATORY CONTROL SAMPLE: 6347447

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	20	20.1	100	70-130	
1,4-Dioxane-d8 (S)	%			98	70-130	

LABORATORY CONTROL SAMPLE: 6347448

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	0.2	0.20 I	100	50-150	
1,4-Dioxane-d8 (S)	%			94	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 6348789 6348790

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		35008363001 Result	Spike Conc.	Spike Conc.	Result						
1,4-Dioxane (p-Dioxane)	ug/L	0.14 I	19.9	20	20.5	19.8	102	98	70-130	3	20
1,4-Dioxane-d8 (S)	%						103	94	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



## QUALIFIERS

Project: 1,4-Dx-522 (Weekly)

Pace Project No.: 35007523

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U Compound was analyzed for but not detected.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1,4-Dx-522 (Weekly)  
Pace Project No.: 35007523

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
35007523001	010826-S01	EPA 522	1158722	EPA 522	1158829
35007523002	010826-E01	EPA 522	1158722	EPA 522	1158829

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



# Pace Container Order #1185902

Addresses	Ship To :	Return To:
<b>Order By :</b>		
Company Brunswick County Water System	Company Brunswick County Water System	Company Pace Analytical Ormond Beach
Contact - Bottles, Glenn	Contact - Bottles, Glenn	Contact
Email glenn.walker@brunswickcountync.gov	Email glenn.walker@brunswickcountync.gov	Email shelby.sharpe@pacelabs.com
Address 3954 Clearwell Dr. NE	Address 3954 Clearwell Dr. NE	Address 8 East Tower Circle
Address 2	Address 2	Address 2
City Leland	City Leland	City Ormond Beach
State NC Zip 28451	State NC Zip 28451	State FL Zip 32174
Phone 910-371-3490	Phone 910-371-3490	Phone 386-672-5668

Info			
<b>Project Name</b> 1,4-Dx-522	<b>Due Date</b> 12/29/2025	<b>Profile</b> 9551-1	<b>Quote</b>
<b>Project Manager</b> Baumgartner, Todd	<b>Return Date</b>	<b>Carrier</b> FedEx Standard Overnight	<b>Location</b> NC

**Trip Blanks**

Include Trip Blanks

**Bottle Labels**

Blank

Pre-Printed No Sample IDs

Pre-Printed With Sample IDs

**Bottles**

Boxed Cases

Individually Wrapped

Grouped By Sample ID/Matrix

**Return Shipping Labels**

No Shipper

With Shipper

**Misc**

Sampling Instructions

Custody Seal

Temp. Blanks

Coolers

Syringes

Extra Bubble Wrap

Short Hold/Rush Stickers

DI Water

USDA Regulated Soils

**COC Options**

Number of Blanks

Pre-Printed

# of Samples	Matrix	Test	Container	Total	# of QC	Lot #	Notes
2	WT	1,4-dioxane, method 522	1-1L Amber Glass, Sodium sulfite & Na bisulfate	2	0	070725-1EVP / 081125-3DII	

**Hazard Shipping Placard In Place : NO**

\*Sample receiving hours are Mon-Fri 8:00am-6:00pm and Sat 10:00am-6:00pm unless special arrangements are made with your project manager.

\*Pace Analytical reserves the right to return hazardous, toxic, or radioactive samples to you.

\*Pace Analytical reserves the right to charge for unused bottles, as well as cost associated with sample storage/disposal.

\*Payment term are net 30 days.

\*Please include the proposal number on the chain of custody to ensure proper billing.

**LAB USE:**

**Ship Date :**

**Prepared By:**

**Verified By:**

**Tracking Num:**

**Sample Notes :**

weekly sampling; 2-locations per week; ; Special COC attached; ;

**CLIENT USE (Optional):**

**Date Rec'd:**

**Received By:**

**Verified By:**

Pace

Sample Condition Upon Receipt Form (SCUR)

WO#: 35007523

Project #

Project Manager:

Client:

PM: TAB

Due Date: 01/21/26

CLIENT: BRUNCOWS

Date and Initials of person:

Examining contents: APES

Verifying pH: \_\_\_\_\_

Thermometer Used: T-441

Date: 01/09/2026

Time: 1129

Initials: V.M

State of Origin: \_\_\_\_\_  For WV projects, all containers verified to ≤6 °C

Cooler #1 Temp. °C 0-8 (Visual) +0.5 (Correction Factor) 1.3 (Actual)

Cooler #2 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)

Cooler #3 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)

Cooler #4 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)

Cooler #5 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)

Cooler #6 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)

Recheck for OOT °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other: \_\_\_\_\_

Shipping Method:  Standard Overnight  First Overnight  Priority Overnight  Ground  International Priority  Other: \_\_\_\_\_

Tracking # 4736 1122 6819

Custody Seal Present:  Yes  No Seal properly placed and intact:  Yes  No

Ice:  Wet  Blue  Dry  None  Melted

Packing Material:  Bubble Wrap  Bubble Bags  None  Other: \_\_\_\_\_

Samples shorted to lab:  Yes  No (If yes, complete the following)

Shorted Date: \_\_\_\_\_

Shorted Time: \_\_\_\_\_

Bottle Quantity / Type: \_\_\_\_\_

Chain of Custody:	Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No   Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Sampler Name: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
	Relinquished To Pace: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Sampling Date(s): <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Sampling Time(s): <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Samples Arrived within Hold Time.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Comments: _____
Rush Turnaround Requested on COC.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Comments: _____
Sufficient Volume.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Comments: _____
Correct Containers Used.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Comments: _____
Containers Intact.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Comments: _____
Sample Labels Match COC (Sample ID, Date/Time of Collection).	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A   Comments: _____
All containers needing acid / base preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
All containers needing preservation are found to be in compliance with EPA recommendation:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
Exceptions: Vials, Microbiology, O&G, PFAS	
Headspace in Volatile Vials? (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A

Preservation Information

Preservative: \_\_\_\_\_ Date: \_\_\_\_\_  
 Lot / Trace: \_\_\_\_\_ Time: \_\_\_\_\_  
 Amount added (mL): \_\_\_\_\_ Initials: \_\_\_\_\_

Comments / Resolutions (use back for additional comments):

Labeled by: APES

Reviewed by: [Signature]